

November 11, 2020

Ms. Yvonne Smith Site Assessment Manager U.S. Environmental Protection Agency, Region 7 11201 Renner Blvd. Lenexa, Kansas 66219

**Subject:** Integrated Site Inspection and Removal Assessment Report

Price Metal Refining, Kansas City, Jackson County, Missouri U.S. EPA Region 7 START 5, Contract No. 68HE0719D0001

Task Order No. 19F0075.001
Task Monitor: Yvonne Smith

Dear Ms. Smith:

Tetra Tech, Inc. (Tetra Tech) submits the enclosed Integrated Site Inspection and Removal Assessment report regarding the Price Metals site in Kansas City, Missouri If you have any questions or comments regarding this submittal, please contact the Project Manager at (816) 412-1760.

Sincerely,

Lauren Murphy

START Project Manager

Kamen Murphy

Ted Faile, PG, CHMM START Program Manager

Enclosures

#### INTEGRATED SITE INSPECTION AND REMOVAL ASSESSMENT REPORT

## PRICE METAL REFINING SITE KANSAS CITY, MISSOURI

**EPA SEMS ID: MON000706445** 

# Superfund Technical Assessment and Response Team (START) 5 Contract Contract No. 68HE0719D0001, Task Order No. 19F0075.001

Prepared For:

U.S. Environmental Protection Agency Region 7 Superfund Division 11201 Renner Boulevard Lenexa, Kansas 66219

November 11, 2020

Prepared By:

Tetra Tech, Inc. 415 Oak Street Kansas City, Missouri 64106 (816) 412-1741

### **CONTENTS**

Section	<u>on</u>			<b>Page</b>				
1.0	INTR	ODUCT	ION	1				
2.0	SITE	BACKG	ROUND INFORMATION	2				
	2.1	SITE I	LOCATION	2				
	2.2		DESCRIPTION					
	2.3		OGY AND HYDROGEOLOGY					
	2.4		ROLOGY					
	2.5		ATIONAL HISTORY AND WASTE CHARACTERISTICS					
		2.5.1	Operational History	4				
		2.5.2	Waste Characteristics					
	2.6	PREV	IOUS INVESTIGATIONS	5				
3.0	SITE	INSPEC	TION AND REMOVAL ACTIVITIES	9				
	3.1	SURF	ACE SOIL SAMPLING FOR XRF SCREENING	9				
	3.2		ACE SOIL SAMPLING FOR XRF CONFIRMATION AND DISPOSAL RMINATIONS	9				
4.0	ANALYTICAL DATA SUMMARY							
	4.1		ACE SOIL SAMPLES FOR XRF SCREENING					
	4.2	SURF	ACE SOIL SAMPLING FOR XRF CONFIRMATION	11				
5.0	HAZ	HAZARD RANKING SYSTEM FACTORS						
	5.1							
	5.2	GROU	JNDWATER MIGRATION PATHWAY					
		5.2.1	Groundwater Targets					
		5.2.2	Groundwater Migration Pathway Conclusions	13				
	5.3	SURF	RFACE WATER MIGRATION PATHWAY					
		5.3.1	Hydrological Setting					
		5.3.2	Surface Water Targets					
		5.3.3	Surface Water Migration Pathway Conclusions	13				
	5.4	SOIL	EXPOSURE AND AIR MIGRATION PATHWAY	14				
		5.4.1	Physical Conditions	14				
		5.4.2	Soil and Air Targets					
		5.4.3	Soil and Air Migration Pathway Conclusions	14				
6.0	EME	RGENCY	Y RESPONSE CONSIDERATIONS	15				

## **CONTENTS** (Continued)

Section	<u>Page</u>
7.0	SUMMARY
8.0	REFERENCES
	APPENDICES
Appen	<u>dix</u>
A	FIGURES
В	TABLES
C	PROPERTY SCREENING FORMS AND ACCESS AGREEMENTS
D	FIELD SHEETS AND CHAIN-OF-CUSTODY RECORDS
E	ANALYTICAL DATA
	TABLES
<b>Table</b>	<u>Page</u>
1	KCS&R ON GUINOTTE SITE SUMMARY OF VACANT PROPERTIES WITH ELEVATED LEVELS OF LEAD IN SOILS AND DATES OF FORMER STRUCTURES7

#### 1.0 INTRODUCTION

The U.S. Environmental Protection Agency (EPA), Region 7, under authority of the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) and the Superfund Amendments and Reauthorization Act of 1986, tasked Tetra Tech, Inc., (Tetra Tech) to conduct an Integrated Site Inspection (SI) and Removal Assessment (RA) at the Price Metal Refining site (the site) in Kansas City, Jackson County, Missouri, under Superfund Technical Assessment and Response Team (START) 5 Contract Number 68HE0719D0001, Task Order Number 19F0075.001.

In 2001, an article published in the *American Journal of Public Health* identified Price Metal Refining as an historical secondary lead smelting site that may pose a threat to human health (Eckel, Foster, and Rabinowitz 2001). In 2002, EPA conducted a site visit to Price Metal Refining (1415 Guinotte Avenue) and the nearby Kansas City Smelting & Refining Company (KCS&R) (2223 Guinotte Avenue) sites (Figure 1). In 2012, EPA prepared a Pre-Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS) screening assessment checklist/decision form regarding the site, determining that the site should be entered into CERCLIS (now referred to as the Superfund Enterprise Management System [SEMS]) (EPA 2012). The KCS&R site was also entered into CERCLIS (SEMS) in 2012 and assigned the Identification Number MON000706445. The Price Metals site is currently occupied by the active Mid-States Supply, Inc., a pipe, valve, and fittings supply company.

In 2018, Tetra Tech START completed a Preliminary Assessment (PA) of the site to determine whether additional CERCLA investigations would be warranted (Tetra Tech 2019a). START and EPA conducted a site reconnaissance to view the site's current condition, evaluate migration pathways, and determine sampling locations. Because EPA was not able to obtain access to the site, all site reconnaissance activities occurred from the adjoining road and public rights of way. Proposed sampling locations for future investigations were identified during the site visit. The site reconnaissance did not identify any signs of historical smelting operations.

Purposes of this SI and RA were to delineate extent of potential lead contamination in surface soil and to assess exposure threats posed to nearby residents. SI and RA activities accorded with EPA's *Guidance for Performing Site Inspections under CERCLA* (EPA 1992). For this task, an evaluation occurred to assess the relative threat associated with release of hazardous substances at the site, based on information obtained during the SI and previous investigations, including a 2019 RA at the nearby KCS&R site (Tetra Tech 2019b).

#### 2.0 SITE BACKGROUND INFORMATION

This section specifies the site location and describes the site, discusses geology/hydrogeology and hydrology at and in the area of the site, recounts the operational history of the site, describes waste characteristics, and overviews previous regulatory involvement regarding the site.

#### 2.1 SITE LOCATION

The approximately 1.57-acre site is at 1415 Guinotte Avenue, Kansas City, Jackson County, Missouri. The site is in Section 33, Township 50 North, Range 33 West, and is centered at 39.115014 degrees north latitude and 94.565967 degrees west longitude. Elevation at the site is approximately 750 feet above mean sea level (Appendix A, Figure 1). The site is surrounded by residential, commercial, and industrial areas.

#### 2.2 SITE DESCRIPTION

Review of historical fire insurance maps indicated that metal foundry and forging operations at the site had begun as early as 1896 as part of the Western Manufacturing Company, with Price Metal Refining appearing to take ownership sometime between 1909 and 1938 (Tetra Tech 2019a). Documents available through the Missouri Secretary of State offices show an incorporation date of September 11, 1935 (State of Missouri 1935), and dissolution date of January 1, 1986 (State of Missouri 1986). A photo taken by the Jackson County Tax Assessor's office in 1940 shows multiple smelter stacks across the top of the building (Jackson County, Missouri Tax Assessors Office 1940). Satellite imagery available through Google Earth shows that the original structure was demolished between July and December 2002.

The site and east adjoining property are currently owned by BLMP LLC and occupied by Mid-States Supply, Inc. The south and west portions of the site are occupied by two large, metal, rigid-frame, steel buildings. The remaining areas are covered by concrete and used for parking and storage. The site is bounded north by Guinotte Avenue and south by the Union Pacific Railroad. The west adjoining property is a wooded lot owned by the City of Kansas City, Missouri, with Northeast Industrial Trafficway beyond.

In 2010, the U.S. Census Bureau (USCB) estimated the population of Kansas City, Missouri, at 459,787. Estimated population in Jackson County was 674,158 (USCB 2010). Within a 1-mile radius of the site are 4,611 persons and 1,861 housing units. Population density near the site is 1,468 persons per square mile. One irrigation well and 89 groundwater monitoring wells are within a 1-mile radius of the site (Missouri Department of Natural Resources [MDNR] 2018).

Average annual rainfall in Jackson County is approximately 35.75 inches. Of the total annual precipitation, 25 inches, or 70 percent, usually falls from April through September—the growing season for most crops. Thunderstorms can be violent and include strong winds, hail, heavy rain, and tornados. Average seasonal snowfall is 22 inches (U.S. Department of Agriculture [USDA] 1984).

#### 2.3 GEOLOGY AND HYDROGEOLOGY

Area topography features moderately sloping areas, with most coverage (85 percent) by asphalt, concrete, buildings, or other impervious material. Soil is classified as Urban Land-Bottom Land Complex that varies in composition because it has been extensively reshaped by cutting and filling. Areas associated with this soil complex are subject to localized flooding for short periods. The Urban Land-Bottom Land soils of Jackson County extend to 10 or more feet below ground surface (bgs) (USDA 1984).

The northern extents of Jackson County are in the Dissected Till Plains section of the Central Lowland physiographic province (Miller and Vandike 1997). Surficial soils along the Missouri River valley are underlain by quaternary alluvial deposits of clay, sand, and gravel to thickness of 150 feet. Alternating Pennsylvanian limestone and shale strata, indicative of marine transgression-regression sequences, lie beneath the alluvial deposits and gently dip to the northwest (Hasan, Moberly, and Caoile 1988). The uppermost layers of Pennsylvanian bedrock just south of the Missouri River and near the site belong to the Lower Bronson Subgroup of the Kansas City Group, and consist of the Bethany Falls, Hushpuckney Shale, and Middle Creek Limestone members (U.S. Geological Survey [USGS] 2004).

The site is within the lowland areas of Kansas City, approximately 0.35 mile south of the Missouri River, on unconsolidated alluvial deposits of clay, silt, sand, and gravel belonging to the Late Pleistocene and Holocene Quaternary System. Thicknesses of Missouri River alluvium range from 100 to 150 feet in its reaches in the Kansas City area (Kelly 1996). Depth to groundwater varies, as it is influenced by river stage and recharge from the surrounding uplands, but is typically between 15 and 30 feet. The Missouri River valley aquifers are high-capacity sources of high-quality groundwater (Hasan, Moberly, and Caoile 1988). Kansas City Public Water Services provides municipal water services to the community from surface intakes along the Missouri River. No municipal or registered domestic wells are within 1 mile of the site.

#### 2.4 HYDROLOGY

The site is within the Lower Missouri-Crooked watershed (EPA 2018a). Based on a review of topographic maps, runoff from the site would follow the general topographic gradient northward toward the Missouri River, flowing west to east from its confluence with the Kansas River approximately 2.5 miles to the west. Most runoff would likely be captured by stormwater inlets near the site.

#### 2.5 OPERATIONAL HISTORY AND WASTE CHARACTERISTICS

This section describes operational history of the property and discusses waste characteristics associated with the site.

#### 2.5.1 Operational History

The site and east adjoining property are currently owned by BLMP LLC and occupied by Mid-States Supply, Inc. The south and west portions of the site are occupied by two large, metal, rigid-frame, steel buildings. The remaining areas are covered by concrete and used for parking and storage. A foundry building is depicted at the site property as early as 1896 and appeared to be part of the Western Manufacturing Company business before coming under the ownership of Price Metal Refining between 1909 and 1938 (Sanborn Map & Publishing Co. 1909-1938). Documents available through the Missouri Secretary of State business database show an incorporation date of September 11, 1935 (State of Missouri 1935). Historical site documents provided by EPA regarding the smelter at Price Metal Refining indicate presence of a former furnace to conduct ore processing and lead-pipe casting operations in the northern portion of the site (Tetra Tech 2015).

#### 2.5.2 Waste Characteristics

Based on previous investigations, lead is the primary contaminant of concern at the site.

Lead can be associated with greater than 50 percent of National Priorities List (NPL) sites in the United States. Lead is a naturally occurring, bluish-gray metal found in small amounts in the Earth's crust. Average lead concentration in Jackson County is 40.960 parts per million (ppm) (USGS 2020). It has no characteristic taste or smell. Metallic lead does not dissolve in water and does not burn. Lead has many uses, most importantly in production of some types of batteries. It is also used in ammunition and ceramic glazes. Some chemicals containing lead, such as tetraethyl lead and tetramethyl lead, were once used as gasoline additives to increase octane rating. Other chemicals containing lead are used in paint. Amounts of lead added to paints and ceramic products, caulk, gasoline, and solder have been reduced in recent years

to minimize lead's harmful effects on people and animals. It is used in a large variety of medical equipment (radiation shields, fetal monitors, and surgical equipment). Lead is also used in scientific equipment (circuit boards for computers and other electronic circuitry) and military equipment (jet engine turbine blades, military tracking systems). Most lead used by industry comes from mined ores (some comes from recycled scrap metal or batteries [secondary]). Human activities have spread lead and substances that contain lead to all parts of the environment. Lead is in air, drinking water, rivers, lakes, oceans, and soil (Agency for Toxic Substances and Disease Registry [ATSDR] 2019).

Very little lead is found in most lakes, rivers, or groundwater used to supply the public with drinking water. More than 99% of all publicly supplied drinking water contains less than 0.005 ppm of lead. However, the amount of lead ingested by humans via drinking water can be higher in communities with acidic water supplies. Acidic water facilitates entry into that water of lead in pipes, leaded solder, and brass faucets. Public water treatment systems are now required to use control measures to render water less acidic. Plumbing that contains lead may be in public drinking water systems, and in houses, apartment buildings, and public buildings more than 20 years old (ATSDR 2019).

Effects of lead are the same whether it enters the body through breathing or ingestion. Lead primarily affects the nervous system, both in adults and in children. Long-term exposure to lead in the workplace has resulted in decreased performance in some tests that measure functions of the nervous system. Lead exposure may also cause weakness in fingers, wrists, or ankles. Some studies in humans have suggested that lead exposure may increase blood pressure, but the evidence is inconclusive. Lead exposure may also cause anemia, a low number of blood cells. The connection between occurrence of some of these effects (e.g., increased blood pressure, altered function of the nervous system) and low levels of exposure to lead is not certain. At high levels of exposure, lead can severely damage the brain and kidneys in adults or children. In pregnant women, high levels of exposure to lead may cause miscarriage. High-level exposure in men can damage the organs responsible for sperm production (ATSDR 2019).

#### 2.6 PREVIOUS INVESTIGATIONS

A summary of site involvement and investigations by EPA, including a summary of previous sampling and analytical results, follows:

In 2001, an article published in the *American Journal of Public Health* identified Price Metal Refining as an historical secondary lead smelting site that may pose a threat to human health (Eckel, Foster, and Rabinowitz 2001). EPA evaluated the Price Metal Refining property in 2002, finding no further assessment was warranted at that time. In 2012, EPA prepared a Pre-CERCLIS screening assessment

checklist/decision form regarding the site, determining that the site should be entered into CERCLIS (now referred to as SEMS) (EPA 2012).

#### 2018 Preliminary Assessment

On April 5, 2018, START and EPA conducted a site reconnaissance to view the site's current condition, evaluate migration pathways, and determine sampling locations. Because permission to access the site was not obtained, all site reconnaissance activities occurred from the adjoining road and public rights of way. The site reconnaissance did not identify any signs of historical smelting operations.

Based on findings from the PA, historical secondary smelting operations at the site appeared to present a low risk to human health and the environment in its then-current state. However, the scope of this assessment was limited to site reconnaissance due to lack of access to the site and surrounding properties. Further investigation was recommended to quantify possible metals contamination associated with historical smelting activities via sampling of soils that may have been directly impacted at the site or impacted by airborne lead particles in smelter stack emissions deposited at nearby properties.

#### 2019 Removal Assessment at KCS&R on Guinotte Site

Between July 2017 and September 2018, START conducted RA activities at the KCS&R on Guinotte site (2223 Guinotte Avenue and 410 Park Avenue, approximately 0.5 mile east of the site), where 41 residential properties were sampled. Field screening of samples identified one residential property with at least one cell (excluding the drip zone) containing an average lead concentration exceeding 800 milligrams per kilogram (mg/kg), and 20 residential properties with at least one cell (excluding the drip zone) containing an average lead concentration ranging from 400 to 800 mg/kg. A summary of surface soil screening results from assessed residential properties is in Table B-1 (Appendix B). Figures 2, 3, and 4 show sampling results from and sampling locations at the KCS&R Guinotte site (Appendix A).

Samples KCSR-010, 011, 012, and 028, collected from vacant lots, yielded concentrations of lead in surface soil exceeding the residential soil regional screening level of 400 mg/kg. However, a review of historical fire insurance and aerial maps showed that residential structures once occupied the lots. Thus, elevated concentrations of lead in surface soil at these properties likely are attributable to residual detritus of surface materials from the former structures. Table 1 below lists dates when structures were present at the vacant properties where elevated levels of lead have been detected in soils.

#### TABLE 1

# KCS&R ON GUINOTTE SITE SUMMARY OF VACANT PROPERTIES WITH ELEVATED LEVELS OF LEAD IN SOILS AND DATES OF FORMER STRUCTURES

Property ID	Address	Highest Detected Lead Concentration (mg/kg)	Approximate Dates Structure(s) Present at the Property	
KCSR-010	Guinotte Avenue	526	Four dwellings are depicted on Sanborn maps as early as 1896 <sup>a</sup> . Aerial imagery shows that three of the four structures were removed between 1970 and 1990 <sup>b</sup> while the fourth structure was removed between 2003 and 2004 <sup>c</sup> .	
KCSR-011	N Wabash Avenue	405	One dwelling is depicted on Sanborn maps as early as 1896 <sup>a</sup> . The addition of a woodworking shop was observed in the map from 1940-1950 <sup>d</sup> . Aerial imagery shows that the woodworking shop was removed between 1955 and 1959 <sup>b</sup> while the dwelling was removed between 1963 and 1969 <sup>b</sup> .	
KCSR-012	N Wabash Avenue	439	Two dwellings are depicted on Sanborn maps as early as 1896 <sup>a</sup> and were removed between 1909 and 1938 <sup>e</sup> .	
KCSR-028	N Montgall Avenue	661	One dwelling is depicted on Sanborn maps as early as 1896 <sup>f</sup> . Aerial imagery shows that the structure was removed between 1997 and 2001 <sup>c</sup> .	

#### Notes:

- <sup>a</sup> Sanborn Map & Publishing Co. 1896-1907. Missouri Sanborn Fire Insurance Maps. Vol. 2, Sheet 213. Kansas City, Missouri Public Library's Missouri Valley Special Collection. Accessed October 2020.
  <a href="https://kchistory.org/islandora/object/kchistory%3A111812?solr\_nav%5Bid%5D=3644f52b0acba2b588cf&solr\_nav%5Bpage%5D=0&solr\_nav%5Boffset%5D=0">https://kchistory.org/islandora/object/kchistory%3A111812?solr\_nav%5Bid%5D=3644f52b0acba2b588cf&solr\_nav%5Bpage%5D=0&solr\_nav%5Boffset%5D=0</a>
- b Nationwide Environmental Title Research, LLC. No Date. Historic Aerials Interactive Map Viewer. Historical satellite imagery showing Northeast Kansas City, Missouri. Accessed October 2020. <a href="https://www.historicaerials.com/viewer">https://www.historicaerials.com/viewer</a>
- <sup>c</sup> Google Earth. 1997, 2001, 2003, 2004. Historical satellite imagery showing Northeast Kansas City, Missouri. Accessed October 2020. <a href="https://earth.google.com/web/">https://earth.google.com/web/</a>
- d Sanborn Map & Publishing Co. 1940-1957. Missouri Sanborn Fire Insurance Maps. Vol. 2, Sheet 281. Kansas City, Missouri Public Library's Missouri Valley Special Collection. Accessed October 2020. <a href="https://kchistory.org/islandora/object/kchistory%3A110208?solr\_nav%5Bid%5D=b6a3b1e44d60352aa85b&solr\_nav%5Bpage%5D=0&solr\_nav%5Boffset%5D=1">https://kchistory.org/islandora/object/kchistory%3A110208?solr\_nav%5Bid%5D=b6a3b1e44d60352aa85b&solr\_nav%5Bpage%5D=0&solr\_nav%5Boffset%5D=1</a>
- E Sanborn Map & Publishing Co. 1909-1938. Missouri Sanborn Fire Insurance Maps. Vol. 5, Sheet 607. Kansas City, Missouri Public Library's Missouri Valley Special Collection. Accessed October 2020.
  <a href="https://kchistory.org/islandora/object/kchistory%3A111195?solr\_nav%5Bid%5D=808ae1131b5f0efab552&solr\_nav%5Bpage%5D=0&solr\_nav%5Boffset%5D=0</a>
  5D=0&solr\_nav%5Boffset%5D=0
- f Sanborn Map & Publishing Co. 1896-1907. Missouri Sanborn Fire Insurance Maps. Vol. 2, Sheet 216. Kansas City, Missouri Public Library's Missouri Valley Special Collection. Accessed October 2020.

  https://kchistory.org/islandora/object/kchistory%3A111809?solr\_nav%5Bid%5D=f9708f71965d2d225ecc&solr\_nav%5Bpage
  %5D=0&solr\_nav%5Boffset%5D=0

In December 2018, START performed additional RA activities at the KCS&R on Guinotte property. Surface soil samples were collected within nine distinct cells and screened via x-ray fluorescence (XRF) spectrometry. Results indicated that five surface soil samples (excluding the drip zones) from this site contained lead at concentrations exceeding the EPA action level for industrial soil of 800 mg/kg (Table B-2, Appendix B).

During October 2019, START collected additional surface soil samples from drip zones of four residential properties initially screened in 2017 and 2018 at the KCS&R on Guinotte site. Drip zones at these properties previously had not been assessed, and at least one cell at each of these properties had been found to contain a lead concentration exceeding 400 mg/kg. The October 2019 investigation revealed that drip zones at each of these four properties contained average concentrations of lead in soil exceeding 400 mg/kg (Table 1, Appendix B).

Spatial analysis of the data did not appear to suggest a correlation between concentrations of lead in soil and proximities to the former smelter. Rather, comparison of drip zone and residential yard surface soil sample data indicated that lead-based paint likely had contributed to lead contamination detected in the surrounding cells.

Based on conclusions from investigations at the KCS&R on Guinotte site, selection of sampling locations near the Price Metal Refining site would focus on properties within 0.25 mile from the site.

#### 3.0 SITE INSPECTION AND REMOVAL ACTIVITIES

During SI and RA field activities between November 2019 and August 2020, START collected 44 surface soil samples at one residential property and five non-residential properties in the vicinity of the Price Metals site to evaluate metals contamination in surface soil from former smelting activities (Figure 5, Appendix A). During August 2020, START and EPA conducted incremental sampling to further assess lead contamination in soils nearest to the site property. SI and RA activities included: (1) generating a scale drawing of each property, (2) dividing each property into distinct cells, (3) collecting a multi-aliquot surface soil sample in each cell, (4) screening the soil samples for lead by use of a Niton XRF spectrometer, and (5) submitting selected soil samples for laboratory analysis. General objectives of the SI and RA were to delineate extent of lead contamination in surface soil and to assess exposure threats posed to nearby residents. START members Lauren Murphy, Ryan Slanczka, Megan Sawyer, and Zach Usher conducted sampling at the site. EPA Region 7 On-Scene Coordinator Yvonne Smith was also on site during a portion of the SI and RA sampling.

#### 3.1 SURFACE SOIL SAMPLING FOR XRF SCREENING

Surface soil screening proceeded in accordance with guidelines established in the *Superfund Lead-Contaminated Residential Sites Handbook* (EPA 2003). The Tetra Tech START field crew, after receiving signed access agreements from each property owner, generated a Property Screening Form and identified cells that would be sampled at each property. Actual sizes of cells were determined in the field based on site features. A composite sample consisting of nine aliquots was collected from each cell. START collected each sample within 0 to 2 inches bgs using a trowel, and placed it in a labeled, sealed plastic bag.

All samples were transported to the START office in Kansas City, MO, along with the Property Screening Forms. Each sample was transferred to a clean pan and allowed to completely air dry. Once dried, the sample was homogenized, passed through a number 10 (2-millimeter) sieve, and then screened for lead by use of an XRF analyzer. Three separate XRF readings were taken from each sample, and the average of these three readings was calculated and recorded on the Property Screening Form (Appendix C).

## 3.2 SURFACE SOIL SAMPLING FOR XRF CONFIRMATION AND DISPOSAL DETERMINATIONS

Approximately 50 percent of the screened samples were submitted to the EPA Region 7 laboratory for confirmation analysis. The samples also underwent toxicity characteristic leaching procedure (TCLP) analysis for lead to determine the proper destination for disposal of material possibly to be excavated and transported from the site.

#### 4.0 ANALYTICAL DATA SUMMARY

This section summarizes analytical data from surface soil samples collected during the RA near the site. Samples were submitted to the EPA Region 7 laboratory in Kansas City, Kansas, for laboratory confirmation of XRF screening results and TCLP analysis for lead. Field sheets and chain-of-custody records are in Appendix D. Analytical data from the EPA Region 7 laboratory are in Appendix E.

#### 4.1 SURFACE SOIL SAMPLES FOR XRF SCREENING

Between November 2019 and February 2020, START performed SI and RA activities at one residential and five non-residential properties near the site. A summary of surface soil screening results from assessed properties is in Table B-3 (Appendix B). No sample collected from the residential property contained lead at concentration exceeding 400 mg/kg. Field screening of samples identified two non-residential properties (PMR-001 and PMR-002) where at least one cell contained lead at concentration exceeding the EPA non-residential regional screening level (RSL) of 800 mg/kg. At PMR-001, two cells (C-2 and C-3) contained lead levels above the EPA non-residential screening level. At PMP-002, one cell (C-6) contained lead levels above the EPA non-residential screening level. During the November 2019 sampling event, in cell PMR-001, C-2 within the vacant lot directly west of the former smelter property, lead was detected at 7,160 mg/kg in the XRF sample, and 9,420 mg/kg in the laboratory confirmation sample. In cell PMR-002, C-6 located north of the former smelter, lead was reported at 1,706 mg/kg in the XRF sample (no confirmation sample was collected).

During EPA and START August 2020 incremental screening activities, lead was detected at concentrations exceeding 800 mg/kg in only two of 20 sub-cells within PMR-001, C-2—at 978 and 2,008 ppm (mg/kg) (see Figure 6, Appendix A). Incremental sampling was not conducted at PMR-002, C-6 because this cell was located further from the former smelter than other areas where lead was not detected above the RSL. For this reason, the lead is suspected to be from a source other than the smelter.

#### 4.2 SURFACE SOIL SAMPLING FOR XRF CONFIRMATION

Determination of acceptable XRF screening data followed guidelines in Section 9.7 of EPA Method 6200—Field Portable X-Ray Fluorescence Spectrometry for the Determination of Elemental Concentrations in Soil and Sediment (EPA 2007). Approximately 50 percent of surface soil samples were submitted to the EPA Region 7 laboratory in Kansas City, Kansas, for confirmation analysis for lead. XRF data are generally considered valid if a comparison between XRF values and corresponding laboratory results yields a regression coefficient (r²) of at least 0.7. The r² value for data acquired during this project was 0.998; therefore, the remaining XRF readings are considered valid. Correlation data from the 23 soil samples analyzed via the XRF spectrometer and at the EPA Region 7 laboratory are in Table B-3, Appendix B.

#### 5.0 HAZARD RANKING SYSTEM FACTORS

This section discusses sources of contamination and contaminant migration pathways evaluated under the Hazard Ranking System.

#### 5.1 SOURCES OF CONTAMINATION

During removal assessment activities, START collected surface soil samples near the site to determine presence and extent of contamination. Permission to access the site had not been obtained prior to issuance of this report, so no source area samples were collected. However, lead was found in surface soils collected within areas directly adjacent to the site at concentrations above the non-residential RSL of 800 mg/kg and the average concentration of lead in soils (40.96 mg/kg) within Jackson County, Missouri (USGS 2020). Additional screening activities occurred in August 2020 to further assess lead contamination in soils nearest to the site property.

#### 5.2 GROUNDWATER MIGRATION PATHWAY

Jackson County, Missouri is in the West-Central Missouri groundwater province. Groundwater resources of this region are most plentiful in the alluvial deposits of the Kansas and Missouri Rivers. Quaternary alluvium in the area consists of fine-grained silt and clay sediments that grade into coarse to fine sand and silt with depth (Miller and Vandike 1997).

The site is in the lowland areas of Kansas City, approximately 0.35 mile south of the Missouri River, and is on unconsolidated alluvial deposits of clay, silt, sand, and gravel belonging to the Late Pleistocene and Holocene Quaternary System. Thicknesses of Missouri River alluvium range from 100 to 150 feet in its reaches in Kansas City (Kelly 1996). Depth to groundwater varies, as it is influenced by river stage and recharge from the surrounding uplands, but is typically between 15 and 30 feet. The Missouri River valley aquifers are a high-capacity source of high-quality groundwater (Hasan, Moberly, and Caoile 1988). Kansas City Public Water Services provides municipal water services to the community from surface intakes along the Missouri River.

#### **5.2.1** Groundwater Targets

The site is in the downtown area of Kansas City, Jackson County, Missouri. The area is urban and includes commercial, industrial, and residential spaces. According to the U.S. Census, estimated 2010 population of Kansas City, Missouri was 459,787 (USCB 2010).

According to the Safe Drinking Water Information System, 22 public water systems are in Jackson County, Missouri. Fourteen water systems are supplied by groundwater (EPA 2018b). No municipal or registered domestic groundwater wells are within 1 mile of the site.

#### **5.2.2** Groundwater Migration Pathway Conclusions

No groundwater sampling occurred during the SI and RA.

#### 5.3 SURFACE WATER MIGRATION PATHWAY

This section discusses the surface water migration pathway.

#### 5.3.1 Hydrological Setting

Based on a review of topographic maps, runoff from the site would follow the general topographic gradient northward toward the Missouri River, flowing west to east from its confluence with the Kansas River approximately 2.5 miles to the west. Most runoff would likely be captured by stormwater inlets near the site.

#### 5.3.2 Surface Water Targets

Eight water systems listed in the Safe Drinking Water Information System for Jackson County are surface water-based. Kansas City Public Water Services provides municipal water services from surface water intakes along the Missouri River to 460,000 persons in Cass, Clay, Clinton, Jackson, and Platte Counties (EPA 2018b).

Threatened or endangered species known or likely to occur in Jackson County, Missouri, include the gray bat, the Indiana bat, the northern long-eared bat, and the pallid sturgeon (U.S. Fish and Wildlife Service 2018). Presence of these species at the site area has not been verified; nor have critical habitat areas been delineated. Recreational fishing likely occurs at the Missouri River near the site.

#### **5.3.3** Surface Water Migration Pathway Conclusions

No surface water sampling occurred during the SI and RA.

The site is in an urban area that has undergone residential, commercial, and industrial redevelopment since smelting activities ceased. Concrete, asphalt, and buildings provide an impervious ground cover on the

site and in much of the surrounding area. Most runoff would likely be captured by stormwater inlets near the site, so the likelihood of exposure is low.

#### 5.4 SOIL EXPOSURE AND AIR MIGRATION PATHWAY

This section discusses the soil exposure and air migration pathways.

#### **5.4.1 Physical Conditions**

Topography of the site is moderately sloping and mostly covered (85%) by asphalt, concrete, buildings, or other impervious material. Soil is classified as Urban Land-Bottom Land Complex and varies in composition because it has been extensively reshaped by cutting and filling. Areas associated with this soil complex are subject to localized flooding for short periods. The Urban Land-Bottom Land soils of Jackson County extend to 10 or more feet bgs (USDA 1984).

#### 5.4.2 Soil and Air Targets

The site is in the downtown area of Kansas City, Jackson County, Missouri, which includes residential, commercial, and industrial properties. Approximately 4,611 persons and 1,861 housing units are within a 1-mile radius of the site (USCB 2010). Nearest the site, indigent transient groups have occasionally occupied the west adjoining wooded lot. Additional targets of concern include tenants of the 219-unit Guinotte Manor Apartments constructed in 2001 following demolition of the previous Guinotte Manor housing project. The Kansas City Department of Housing and Urban Development owns and manages this 40-acre property, approximately 500 feet south of the site.

#### **5.4.3** Soil and Air Migration Pathway Conclusions

The site is in an urban area that has undergone residential, commercial, and industrial redevelopment since smelting activities ceased. Concrete, asphalt, and buildings provide an impervious ground cover on the site and in much of the surrounding area. Surface soil samples collected at the south adjacent Guinotte Manor (PMR-004, 005, 006, 007, 008, and 009) contained lead concentrations well below the residential RSL of 400 mg/kg. Although lead concentrations exceeded the non-residential RSL of 800 mg/kg in surface soil samples collected within localized areas in the undeveloped wooded lots directly adjacent to the site, likelihood of exposure is low because these areas are typically unoccupied and undeveloped (Figure 5, Appendix A).

#### 6.0 EMERGENCY RESPONSE CONSIDERATIONS

The National Contingency Plan [40 *Code of Federal Regulations* [CFR] 300.415(b) (2)] authorizes EPA to consider emergency response actions at a facility posing an imminent threat to human health or the environment. Concentrations of lead in soils exceeded the non-residential regional screening level of 800 mg/kg at the vacant property directly adjacent to the site. However, the likelihood of exposure is low because these areas are typically unoccupied and undeveloped. Therefore, a referral to EPA Region 7 for emergency response activities based on findings from this SI and RA is not warranted.

#### 7.0 SUMMARY

The Price Metal Refining site (the site) is in downtown Kansas City, Missouri. In 2001, Price Metal Refining was identified as an historical secondary smelter site that may pose a threat to human health. In 2002, EPA conducted a site visit to Price Metal Refining and determined that no further assessment was warranted at that time. In 2012, an EPA-prepared, Pre-CERCLIS screening assessment of the site on a checklist/decision form concluded that the site should be entered into CERCLIS and assigned the Identification Number MON000706445.

In April 2018, START conducted a PA at the site. Based on findings from the PA, historical secondary smelting operations at the site appeared to present a low risk to human health and the environment in the site's current state. However, the scope of this assessment was limited to site reconnaissance due to lack of access to the site and surrounding properties. Further investigation was recommended to quantify possible metals contamination associated with historical smelting activities.


Between November 2019 and August 2020, START conducted SI and RA field activities at the site. START collected 44 surface soil samples at one residential and five non-residential properties in the vicinity of the site to evaluate metals contamination in surface soil from former smelting activities. Field screening of samples identified two undeveloped, non-residential properties with at least one cell containing lead at a concentration exceeding the applicable 800 mg/kg RSL. No sample collected from a residential yard was found to contain lead levels exceeding the EPA residential RSL of 400 mg/kg. Based on the sampling data, the risk of exposure to soil contaminated with lead associated with the site is low.


#### 8.0 REFERENCES

- Agency for Toxic Substances and Disease Registry (ATSDR). 2019. Toxicological Profile for Lead. July. Accessed March 2020. <a href="https://www.atsdr.cdc.gov/toxprofiles/tp13.pdf">https://www.atsdr.cdc.gov/toxprofiles/tp13.pdf</a>
- Eckel, W.P., G.D. Foster, and M.B. Rabinowitz. 2001. "Discovering Unrecognized Lead-Smelting Sites by Historical Methods." *American Journal of Public Health*, 91(4): 625-627. doi: 10.2105/AJPH.91.4.625.
- Google Earth. 2002. Historical satellite imagery showing 1415 Guinotte Avenue, Kansas City, Missouri. Accessed February 2020. https://earth.google.com/web/
- Hasan, S.E., R.L. Moberly, and J.A. Caoile. 1988. "Geology of Greater Kansas City, Missouri and Kansas, United States of America." *Bulletin of the Association of Engineering Geologists*. XXV(3): 281-341. doi: 10.2113/gseegeosci.xxv.3.277.
- Jackson County, Missouri Tax Assessors Office. 1940. Photograph. District 2, Block 77, Parcel 1. Missouri Valley Special Collections, Kansas City Public Library, Kansas City, Missouri. <a href="http://cdm16795.contentdm.oclc.org/cdm/singleitem/collection/kcpltax/id/283/rec/1">http://cdm16795.contentdm.oclc.org/cdm/singleitem/collection/kcpltax/id/283/rec/1</a>
- Kelly, B. P. 1996. "Simulation of Ground-water Flow and Recharge Areas in the Missouri River Alluvial Aquifer at Kansas City, Missouri and Kansas." U.S. Geological Survey-Branch Information Services Water-Resources Investigations Report, Series 96-4250. doi: 10.3133/wri964250.
- Miller, D.E. and J.E. Vandike. 1997. Groundwater Resources of Missouri. Missouri State Water Plan Series Volume II. Missouri Department of Natural Resources (MDNR) Division of Geology and Land Survey, Water Resources Report No. 46.
- Missouri Department of Natural Resources (MDNR). 2018. Map of Wells in Jackson County, Missouri. Missouri Geological Survey Geosciences Technical Resource Assessment Tool. Accessed November 2018. http://www.dnr.mo.gov/gis/GeoStrat/Groundwater Depth.kmz
- Sanborn Map & Publishing Co. 1909-1938. Missouri Sanborn Fire Insurance Maps. Vol. 5, Sheet 602. Kansas City, Missouri Public Library's Missouri Valley Special Collection. Accessed October 2020. <a href="https://kchistory.org/islandora/object/kchistory%3A111200?solr\_nav%5Bid%5D=90461059ba1fe">https://kchistory.org/islandora/object/kchistory%3A111200?solr\_nav%5Bid%5D=90461059ba1fe</a> 012b016&solr\_nav%5Bpage%5D=0&solr\_nav%5Boffset%5D=0
- State of Missouri. 1935. Certificate of Incorporation for Price Metal Refining Company. Missouri Secretary of State Online Database. Accessed October 2020. https://bsd.sos.mo.gov/e-commerce/company/search/94858
- State of Missouri. 1986. Letter of Forfeiture of Charter or Authority to do Business for the Price Metal Refining Company. Missouri Secretary of State Online Database. Accessed October 2020. https://bsd.sos.mo.gov/e-commerce/company/search/105388
- Tetra Tech, Inc. (Tetra Tech). 2015. Preliminary Assessment Trip Report regarding Lead Screening of Soil and Interior Dust, Kansas City Smelting & Refining on Guinotte Site, Kansas City, Missouri. November 20.

- Tetra Tech. 2019a. Preliminary Assessment Report. Price Metal Refining Site. START 4 Contract No. EP-S7-13-06, Task Order No. 0104.004. February 8.
- Tetra Tech. 2019b. Removal Assessment Report. KCS&R on Guinotte Site. START 4 Contract No. EP-S7-13-06, Task Order No. 0179. February 8.
- U.S. Census Bureau (USCB). 2010. 2010 Census Interactive Population Search. American FactFinder. <a href="https://data.census.gov/cedsci/map?tid=GOVSTIMESERIES.CG00ORG01&vintage=2018&layer=VT-2018-040-00-PY-D1&cid=AMOUNT&mode=selection">https://data.census.gov/cedsci/map?tid=GOVSTIMESERIES.CG00ORG01&vintage=2018&layer=VT-2018-040-00-PY-D1&cid=AMOUNT&mode=selection</a>
- U.S. Department of Agriculture (USDA). 1984. Soil Survey of Jackson County, Missouri.
- U.S. Environmental Protection Agency (EPA). 1992. *Guidance for Performing Site Inspections under CERCLA*. Interim Final. Publication 9345.1-05. September. 236 pages.
- EPA. 2003. Superfund Lead-Contaminated Residential Sites Handbook. Office of Emergency and Remedial Response. Office of Solid Waste and Emergency Response (OSWER) 9285.7-50. August.
- EPA. 2007. SW-846 Test Method 6200. Field Portable X-Ray Fluorescence Spectrometry for the Determination of Elemental Concentrations in Soil and Sediment. February.
- EPA. 2012. Pre-CERCLIS Screening Assessment Checklist/Decision Form. May 11.
- EPA. 2018a. Surf Your Watershed: Lower Missouri-Crooked 10300101. Accessed March 2020.
- EPA. 2018b. Safe Drinking Water Information System. List of water systems for Jackson County, Missouri. Accessed March 2020. https://enviro.epa.gov/enviro/sdw\_form\_v3.create\_page?state\_abbr=MO=
- EPA. 2020. Regional Screening Levels. May.
- U.S. Fish and Wildlife Service. 2018. Jackson-County Distribution of Federally-Listed Threatened, Endangered, Proposed, and Candidate Species. Accessed November 30, 2018. Last updated November 30, 2018. <a href="https://ecos.fws.gov/ipac/location/LKKL7BS2EFEIZBQETH7R6EIIPQ/resources">https://ecos.fws.gov/ipac/location/LKKL7BS2EFEIZBQETH7R6EIIPQ/resources</a>
- U.S. Geological Survey (USGS). 2004. Geologic Map of the Missouri Part of the Kansas City MO-KS 7.5' Quadrangle, Jackson County, Missouri. Accessed March 2020. https://ngmdb.usgs.gov/Prodesc/proddesc 79286.htm
- USGS. 2020. Average concentrations of elements in Jackson County, Missouri. National Geochemical Survey database. Accessed March 2020. <a href="https://mrdata.usgs.gov/geochem/county.php?place=f29095&el=As&rf=central">https://mrdata.usgs.gov/geochem/county.php?place=f29095&el=As&rf=central</a>

# APPENDIX A FIGURES







Legend


Sample location
ID Identification

Lead

mg/kg Milligram per kilogram

KCSR Kansas City Smelting & Refining on Guinotte


Sample Location	Cell	Average Concentration Pb (mg/kg)	Laboratory Confirmation Result (mg/ kg)
KCSR-043	-21	37	35.8
KCSR-044	2	40	34.1
KCSR-045	21	87	69.2
KCSR-046	-	58	39.2



Price Metal Refining Kansas City, Missouri

Figure 3 KCSR Sample Results South - B





Legend


Parcel boundary

Identification

Lead

mg/kg Milligram per kilogram


KCSR Kansas City Smelting & Refining on Guinotte




Price Metal Refining Kansas City, Missouri

Figure 4 KCSR Sample Results North







APPENDIX B

**TABLES** 

### SUMMARY OF ASSESSED PROPERTIES

### **TABLE B-1**

# SUMMARY OF XRF AND LABORATORY CONFIRMATION SAMPLE RESULTS KCS&R ON GUINOTTE SITE – KANSAS CITY, MISSOURI

Duran autor ID	A.J.J	Greatest Lead	Average Lead	Data(a) Canamad	
Property ID	Address	Concentration (mg/kg)	Concentration from Drip Zone (mg/kg)	Date(s) Screened	
KCSR-001	Guinotte Avenue	493	419	8/1/2017 10/23/2019	
KCSR-002	Guinotte Avenue	362	NS <sup>1</sup>	8/1/17	
KCSR-003	Guinotte Avenue	293	NS <sup>1</sup>	8/1/17	
KCSR-004	N Garland Avenue	600	NS <sup>2</sup>	8/1/17	
KCSR-005	Guinotte Avenue	546	1,438	8/1/2017 10/23/2019	
KCSR-006	Unassigned (lot north of 2318 Guinotte Avenue)	267	NS <sup>3</sup>	8/1/17	
KCSR-007	Guinotte Avenue	394	NS <sup>1</sup>	8/1/17	
KCSR-008	Guinotte Avenue	370	NS <sup>1</sup>	8/1/17	
KCSR-009	Guinotte Avenue	504	NS <sup>2</sup>	8/2/17	
KCSR-010	Guinotte Avenue	526	NS <sup>3</sup>	8/2/17	
KCSR-011	Wabash Avenue	405	NS <sup>3</sup>	8/2/17	
KCSR-012	N Wabash Avenue	439	NS <sup>3</sup>	8/2/17	
KCSR-013	Guinotte Avenue (mobile home lot)	190	NS <sup>3</sup>	8/2/17	
KCSR-014	Guinotte Avenue (house)	270	NS <sup>1</sup>	8/2/17	
KCSR-015	Nicholson Park (background)	31	NA NA	8/2/17	
KCSR-015	Berkley Riverfront Park (background)	183	NA NA	8/2/17	
KCSR-017	N Prospect Avenue	554	368	9/6/18	
KCSR-018	N Garland Avenue	271	564	9/11/18	
KCSR-019	Guinotte Avenue	376	NS <sup>4</sup>	9/11/18	
KCSR-019 KCSR-020	N Prospect Avenue	580	527	9/11/18	
KCSR-020 KCSR-021	N Prospect Avenue	270	638	9/11/18	
KCSR-022	N Prospect Avenue	304	328	9/11/18	
KCSR-022	N Prospect Avenue	198	393	9/11/18	
KCSR-024	N Prospect Avenue	493	323	9/11/18	
KCSR-025	N Montgall Avenue	671	1,244	9/11/2018 10/23/2019	
KCSR-026	N Montgall Avenue	355	621	9/11/18	
KCSR-027	N Montgall Avenue	686	840	9/11/2018 10/23/2019	
KCSR-028	N Montgall Avenue	666	NS <sup>3</sup>	9/11/18	
KCSR-029	N Montgall Avenue	286	314	9/11/18	
KCSR-030	Guinotte Avenue	339	152	9/12/18	
KCSR-031	Guinotte Avenue	388	593	9/12/18	
KCSR-032	N Garland Avenue	177	95	9/12/18	
KCSR-033	N Garland Avenue	631	1,048	9/12/18	
KCSR-034	N Garland Avenue	346	NS <sup>4</sup>	9/12/18	
KCSR-035	N Wabash Avenue	427	NS <sup>5</sup>	9/12/18	
KCSR-036	N Montgall Avenue	317	NS <sup>4</sup>	9/12/18	
KCSR-037	N Montgall Avenue	713	1,140	9/12/18	
KCSR-038	Rochester Avenue	405	424	9/12/18	
KCSR-039	Rochester Avenue	293	540	9/12/18	
KCSR-040	N Prospect Drive	808	1,625	9/12/18	
KCSR-041	N Prospect Drive	457	821	9/12/18	

### Notes:

 $\textbf{Bolded} \ \text{result indicates an average lead concentration greater than 400 mg/kg}.$ 

ID Identificationmg/kg Milligrams per kilogramNA Not applicableNS Not sampled

Greatest lead concentration <400 mg/kg. Not selected for additional sampling

Unable to establish contact with property owner for additional sampling

No structures present, empty lot

Structure bordered by concrete or other impenetrable cover

5 Property owner declined further sampling

**TABLE B-2** 

# FORMER KCS&R FACILITY & BACKGROUND SAMPLE RESULTS KCS&R ON GUINOTTE SITE – KANSAS CITY, MISSOURI

Sample ID	Cell ID	Pb Lab (mg/kg)	Pb XRF (mg/kg)	Date Screened				
Former KCS&R Facility								
KCSR-042	C-1	3,215	4,230	12/19/2018				
KCSR-042	DZ-1	2,819	3,030	12/19/2018				
KCSR-042	RE-1	375	393	12/19/2018				
KCSR-042	C-4	823	924	12/19/2018				
KCSR-042	C-5	1,113	1,130	12/19/2018				
KCSR-042	RE-2	885	981	12/19/2018				
KCSR-042	DZ-2	697	823	12/19/2018				
KCSR-042	C-3	474	464	12/19/2018				
KCSR-042	C-2	1,461	2,290	12/19/2018				
	Kessler Park (Background)							
KCSR-043	NA	36	37	11/25/2019				
KCSR-044	NA	34	40	11/25/2019				
KCSR-045	NA	69	87	11/25/2019				
KCSR-046	NA	39	58	11/25/2019				

Notes:  $r^2 = 0.970607$ 

 $\textbf{Bolded} \ \text{result indicates an average lead concentration greater than } 800 \ \text{mg/kg}.$ 

ID Identification

mg/kg Milligrams per kilogram

NA Not applicable

Pb Lead

r<sup>2</sup> Regression coefficient XRF X-ray fluorescence

### **TABLE B-3**

# SUMMARY OF XRF AND LABORATORY CONFIRMATION SAMPLE RESULTS PRICE METAL REFINING SITE – KANSAS CITY, MISSOURI

<b>Property ID</b>	Sample Number	Cell ID	Address	<b>Property Type</b>	Pb Lab (mg/kg)	Pb XRF (mg/kg)
	8386-1	C-1	I I was i am ad adduser as weet adduser the site	Non-residential	398	504
PMR-001	8386-2	C-2	Unassigned address, west adjacent to site property		9,420	7,160
	8386-3	C-3	property		1,330	1,145
	8386-20	C-1			265	303
		C-2			-	619
		C-3			-	453
	8386-10	C-4			575	501
	8386-7	C-5			326	393
		C-6			-	1,706
PMR-002	8386-12	C-7	N Lydia Avenue	Non-residential	340	347
1 WIK-002	8386-8	C-8	N Lydia Avende	14011-1esidentiai	452	583
		C-9			-	488
		C-10			-	309
	8386-9	C-11			236	381
	8386-11	C-12			239	269
		C-13			-	229
	8386-21	C-14			297	294
	8386-4	C-1			272	299
	8386-22	C-2			115	138
		C-3			-	137
		C-4			-	111
		C-5			-	119
		C-6			-	67
		C-7			-	62
PMR-003	8386-5	C-8	N Lydia Avenue	Non-residential	44	54
		C-9			-	34
		C-10			-	71
		C-11			-	55
		C-12			-	57
		C-13		-	-	57
	8386-6	C-14			53	62
		C-15			-	60
PMR-004	8386-15	-	E 4th Street, Apartments 209 & 211	Residential	52	58
PMR-005		-	E 4th Street, Apartments 205 & 207	Residential	-	50
PMR-006	8386-13	-	E 4th Street, Apartments 201 & 203	Residential	31	34
PMR-007		-	E 4th Street, Apartments 200 & 202	Residential	-	33
PMR-008		-	E 4th Street, Apartments 204 & 206	Residential	-	31
PMR-009	8386-14	-	E 4th Street, Apartments 208 & 210	Residential	34	34
PMR-010*		-	Paseo (Kessler Park)	Residential	-	80
	8486-1	C-1	` '		618	626
	8486-2	C-2		Non-residential	461	370
PMR-011	8486-3	C-3	NE Trafficway		353	352
	8486-4	C-4			239	216
	8486-5	C-5			128	113
	0 <del>-</del> 00- <i>3</i>	C-3		<u> </u>	120	113

Notes:  $r^2 = 0.997759$ 

**Bolded** result indicates an average lead concentration greater than 400 mg/kg.

\* Background Sample mg/kg Milligrams per kilogram

Pb Lead

 $\begin{array}{ll} \text{ID} & \text{Identification Number} \\ r^2 & \text{Regression coefficient} \\ \text{XRF} & \text{X-ray fluorescence} \end{array}$ 

# APPENDIX C PROPERTY SCREENING FORMS AND ACCESS AGREEMENTS



### KCS & R on Guinotte

# CONSENT TO ACCESS FOR ENVIRONMENTAL INVESTIGATION

I have read and agree to the terms and conditions presented below on this form. I understand that this is an agreement granting permission to the United States Environmental Protection Agency (USEPA), its authorized representatives, and the Missouri Department of Natural Resources (MDNR) to enter and perform certain environmental response activities upon the Site described below

Property Location or Address: 3 properties located in Kansas City, MO:

N Lydia Ave, Parcel ID # 12-720-03-01-00-0-000;

N Lydia Ave, Parcel ID # 12-720-04-01-00-0-00-000; and

NE Industrial Trfy, Parcel ID# 12-720-13-07-00-0-000.

Property Access Granted By:	
(Please Print Name)	

(Authorized Representative Signature)

u /1/19 (Date)

#### TERMS AND CONDITIONS

RIGHT OF ENTRY: The property owner consents to and authorizes USEPA, its authorized representatives, and MDNR, to enter and perform certain environmental response activities upon the premises in accordance with Section 104 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), 42 U.S.C. § 9604.

SCOPE OF ACCESS: The environmental response actions to be performed on said property may include the following activities:

- a. Locating equipment and machinery on-site for purposes of collecting environmental samples; and
- b. Obtaining environmental samples from the property.

RELEASE OF SAMPLING DATA: In accordance with Section 104(e)(7) of CERCLA, I consent to EPA releasing to the public all analytical results of any samples that EPA collects on my property, as identified by the property address.

<u>RESTORATION OF PROPERTY:</u> I recognize that the performance of such actions may require some disturbance of the property and that EPA will attempt to minimize such disturbance, and that areas of disturbance will be restored as nearly as possible to prior condition by EPA, subject to the availability of appropriated funds.

<u>LIABILITY:</u> I understand that EPA requires its contractors to maintain comprehensive vehicle liability insurance, and comprehensive general liability insurance for bodily injury, death, and loss or damage to property or third persons arising from their activities. I also understand that EPA's liability for damages to the property or injuries to persons which result from or are caused by its activities on the property shall be to the extent permitted by the Federal Tort Claims Act (28 U.S.C. §§ 1346(b), 2671 - 2680) and the Federal

## Price Metal Refining, Property Screening Form

EPA Site #: PMR-	<u>00/</u> I	Date of Access:	11/1/2019	Date of Scree	ening: <u>1115/2019</u>
Screening Results: XRI	FI.D.:	Date	: 118/2019	Operator: 1	"R
Average XRF Pb Screen					1
Cell 1: 504 Cell	5:	Cell 9:	Cell 13:		
Cell 2: 7160 Cell	6:(	Cell 10:	Cell 14:		<b>建定置</b>
Cell 3: Cell	7:	Cell 11:	Cell 15:		
Cell 4: Cell	8:C	Cell 12:	Cell 16:		
Unausigned Address West of RMR Silet	E Indication of the Control of the C	XXF: 50: 45: 655	2-13-ppm	LI Price	1-States Supply Evenor e Metal Refining Property)

EPA Site #: PMR- 002 Date of Access: 1111/2019 Date of Screening: 11/5/2019  Screening Results: XRF I.D.: Date: 11/8/2019 Operator: TV-  Average XRF Pb Screening Results (ppm)
Cell 1: <u>403</u> Cell 5: <u>393</u> Cell 9: <u>488</u> Cell 13: <u>229</u>
Cell 2: 1010   Cell 6: 1700   Cell 10: 309   Cell 14: 394
Cell 3: <u>1153</u> Cell 7: <u>741</u> Cell 11: <u>1261</u> Cell 15:
Cell 4: 50 Cell 8: 660 Cell 12: 39 Cell 16:
C-1 C-3 C-5 C-7 C-9 C-11 C-13  XRF: 312 477 388 314 577 288 230 294 417 350 312 444 255 223 300 465 440 415 443 263 233 303ppm 453ppm 393ppm 347ppm 488ppm 269ppm 229ppm
IIIIII Rail Road JULIU IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII
C-1 C-2 C-4 C-6 C-7 C-8 C-10 C-12 C-14  Woodea  N
C-2 C-4 C-4 C-8 C-10 C-12 C-14  KRF 494 491 1634 564 357 355 299  674 506 2177 584 301 430 275  687 507 1366 600 269 359 308  11111111111111111111111111111111111

r		1
	EPA Site #: PMR- 003 Date of Access: 11117013 Date of Screening: 11/5/28/9	
	Screening Results: XRF I.D.: Date: 11 9 Operator:	
j	Average XRF Pb Screening Results (ppm)	
	Cell 1: <u>199</u> Cell 5: <u>110</u> Cell 9: <u>34</u> Cell 13: <u>57</u>	
	Cell 2: 128 Cell 6: 0 Cell 10: 7 Cell 14: 62	
	Cell 3: 157 Cell 7: 62 Cell 11: 55 Cell 15: 60	
	Cell 4: 111 Cell 8: 54 Cell 12: 57 Cell 16:	
1.626	C14 C-13 C-12 C-11 C-10 C-9 C-8 C-7 C-6 C-5 C-4 C-3 C-2 C-1  66 60 70 44 66 32 53 62 64 121 121 128 135 288  60 58 50 60 72 26 57 56 76 112 60 150 151 319  59 52 50 61 76 43 51 67 60 124 112 133 129 242	
Opping		m
	1111111111111 Ray Road 111 111111111111	
	E Balast 7	
61	5 C-14 C-13 C-12 C-11 C-10 C-9 C-8 C-7 C-6 C-5 C-4 C-3 C-2 C-1	
	Wooded  Wooded  I TITITI  Rail Road III IIIIII III IIII IIII IIII IIII I	A STATE OF THE STA
	11111111111111111111111111111111111111	

EPA Site #: PMR- <u>004</u> Date of Access: <u>////2019</u>	Date of Screening: 1//5/2019
Screening Results: XRF I.D.: Date: 1//8/2019	Operator: TR
Average XRF Pb Screening Results (ppm)	
Cell*1:         SS         Cell 5:         Cell 9:         Cell 13:	
Cell 2: Cell 6: Cell 10: Cell 14:	
Cell 3: Cell 7: Cell 11: Cell 15:	
Cell 4: Cell 8: Cell 12: Cell 16:	
Apartments 209 \(\vert_{211}\)  Real Drive  Shewere  Apartments 209 \(\vert_{211}\)  Apartments 209 \(\vert_{211}\)	e Garden X

Screening Results: XRF I.D.:   Date:	EPA Site #: PMR- 005	Date of Access: 1/1/2019	Date of Screening:	11/5/2019
Gett1: 50 Coll 5: Coll 9: Coll 13:  Coll 2: Coll 6: Coll 10: Coll 14:  Coll 3: Coll 7: Coll 11: Coll 15:  Coll 4: Coll 8: Coll 12: Coll 16:   Apartmery \$205:207  PM2-005  XEF: 44  43  59  50  Rear  Rear  Prize  Rear  Prize  Rear  Prize  Rear  Prize  Rear  Prize  Rear  Prize	Screening Results: XRF I.D.:	Date: 1/8/2019	Operator: 7k	
Cell 2: Cell 6: Cell 10: Cell 14: Cell 13: Cell 17: Cell 11: Cell 15: Cell 4: Cell 8: Cell 12: Cell 16: Black Fig. Representation of the cell 15: Cell 16: Representation of the cell 16:	Average XRF Pb Screening Results (ppm)	)		***************************************
Cell 3: Cell 7: Cell 11: Cell 15: Cell 14: Cell 8: Cell 12: Cell 16: Representation of the cell 15: Representation of the cell 16:	Gelt 1: 50 Cell 5: C	Cell 9: Cell 13:		
Cell 4: Cell 8: Cell 12: Cell 16:	Cell 2: Cell 6: C	Cell 10: Cell 14:		
Blu FF3  PM2-005  XRF: 45  43  59  50  N  Rear  Parking G	Cell 3: Cell 7: C	'ell 11: Cell 15:		
Apartments 205: 207  Blu FFS  Pruz-005  XEF: 49  43  59  50ppm  Rear  Prize  Farking G	Cell 4: Cell 8:	Cell 12: Cell 16:		
######################################				
Apartments 205: 207  Blu FFS  Pruz-005  XEF: 49  43  59  50ppm  Rear  Prize  Farking G	E / Hu AL			
Blu FFS  PM2-005  PM2-005  XEF: 45  43  59  500000000000000000000000000000000				
PM2-005  XRF: 45  43 59 50ppm   6  N  Rear  Parking 8				
PM2-005  XRF: 45  43 59 50ppm   6  N  Rear  Parking 8				
PM2-005  XRF: 45  43 59 50ppm   6  N  Rear  Parking 8				
PM2-005  XRF: 45  43 59 50ppm   6  N  Rear  Parking 8		Bur		
Rear Onice  Parking C		* * * * * * * * * * * * * * * * * * *		
Rear Onice  Parking C				
Rear Onice  Parking C	10 / WH	PM2-005		
Rear Onice  Parking C				
Topom of 50pom of 10 points of			/ 3	- N. A Mario - Mario - Mario - D No. at a superior - C C C C C C C C
N Rear Price Parking of	5		Ď	
N Rear Price Parking of	100		/ 8	
Parkens of	1 Tag			
Tarkens of				
Tarkens of	N	Rear		
Tarkens of	TIM-ra	Onico		
Side Saces	Man Sal	ari		
Side		in Se		
	Cia	Some		
Took to the second of the seco		well -		
Apartments 205 ? 207	Apartments 205 2007			

Screening Results: XRF 1.D.:   Date:		PMR- <u>006</u>		ss: <u>11/1/2019</u>		ning: 11/5/2019
Cell 4: 34 Cell 5: Cell 9: Cell 13:  Cell 2: Cell 6: Cell 10: Cell 14:  Cell 3: Cell 7: Cell 11: Cell 15:  Cell 4: Cell 8: Cell 12: Cell 16:  E Uth St  Apartman 15 361 & 203  Ref. 31  34  34  34  34  34  34  34  34  30  34  30  34  30  34  30  30				e: 11/8/2019	Operator: 7/	<u>earas</u>
Cell 2: Cell 6: Cell 10: Cell 14:  Cell 3: Cell 7: Cell 11: Cell 15:  Cell 4: Cell 8: Cell 12: Cell 16:  E Unity  Apartmans 26 ( 203  XEF: 31 34 34 34 34 34 34 34 34 34 34 34 34 34						
Cell 4: Cell 8: Cell 12: Cell 16:  E 4th GH  Reartmans Del i 205  PMR-606  PMR-606  XRF: 31  34  34  34  34  34  30  3 Hepm  Apartmans  Apartmans  201 i 203	Cell 1: 34	Cell 5:	Cell 9:	Cell 13:		
Cell 4: Cell 8: Cell 12: Cell 16:	Cell 2:	Cell 6:	Cell 10:	Cell 14:		
Blustone 105 203  Blustone 105 203  PMR-5576  XRF: 31 34 32 3 Hamm  Apartmenus 201 is 203	Cell 3:	Cell 7:	Cell 11:	Cell 15:		
Bluffs  PMR-60%  XRF: 31 34 32 34 32 34 30 34 30 100 100 100 100 100 100 100 100 100	Cell 4:	Cell 8:	Cell 12:	Cell 16:		
Bluffs  PMR-60%  XRF: 31 34 32 34 32 34 30 34 30 100 100 100 100 100 100 100 100 100	- C 11th					
Blue Frs  PMR-6080  XRF: 31 34 32 34 32 34 32 7 Sidewalk  Apartments 201; n.03						
Blustis  PMR-600  XAF: 31  34  34  34  34  34  34  34  30  Apartments 201 & n.03	Truck in the second					
Blustis  PMR-600  XAF: 31  34  34  34  34  34  34  34  30  Apartments 201 & n.03						
PMR-006 35 35 35 36 36 36 36 36 36 36 36 36 36 36 36 36						
PMR-006 35 35 35 36 36 36 36 36 36 36 36 36 36 36 36 36						
PMR-006 35 35 35 36 36 36 36 36 36 36 36 36 36 36 36 36						
PMR-006 35 35 35 36 36 36 36 36 36 36 36 36 36 36 36 36		***	, b	lufis		
Apartments 201; n.03			XXX	* * * *	X X X	
Apartments 201; n.03		$\sim$				1
3 Hapm  Sidewalk  Apartments  201 & no3		8 /				[
3 Hapm  Sidewalk  Apartments  201 & no3	***************************************	4/	XRF:	21	//	3
3 Hapm  Sidewalk  Apartments  201 & no3		Ø /			1,8	
Sidewalk Remarks  Apartments  201 is no3			ala majara di matanta	<del></del>	//	
Apartments 201; no3				3 Hippm	1	
Apartments 201; no3			7		25	<u> </u>
Apartments 201; no3	***************************************		Sidewalk	T	20 N	
Apartments 201; no3	<b>1 2 2 3 3 3 3 3 3 3 3 3 3</b>				100	· Re
Apartments 201; no3	8			3		Price.
	8	· · · · · · · · · · · · · · · · · · ·				K
	in					
	C. W.					
N W 54	7		201 ; 205			
and the control of th					N MIM	15f2

EPA Site #: PMR- OO7	Date of Access:	1/1/2019 Date	of Screening: ///5/	2019
Screening Results: XRF I.D.:		11/8/2019 Oper	ator: 7R	
Average XRF Pb Screening Result	s (ppm)			
Cell+1: 33 April Cell 5:	Cell 9:	Cell 13:	<u>基準</u> 等基础	
Cell 2: Cell 6:	Cell 10:	Cell 14:		
Cell 3: Cell 7:	Cell 11:	Cell 15:		
Cell 4: Cell 8:	Cell 12:	Cell 16:	8.020 <u>3.54</u> 0	
			7	
F 4+1 St				. (
-Apait ments				
	Bluf	€	in in it is a second of the se	W=5Fr
	1 1 X X X	XXXX		
(SAD)				
d.	Pur-o	77		
37	KRF: 30		7	· · · · · · · · · · · · · · · · · · ·
385	$G = \mathcal{G}$		2	
+ Penr Drive Ser &	1	Зррт		
<u> </u>				
Parkins Spaces				7
112				/
Sidewalk				
	Man han in		426.76	
	Apartments		1 Apartment	
dans and		/		
Apartments				
	The second of the second	and the first		

EPA Site #: PMR- 008 Date of Access: 11/1/2019 Date of Screening: 1	11/5/19
Screening Results: XRF I.D.: Date: U/0/2019 Operator: 7/2	
Average XRF Pb Screening Results (ppm)	
Cell 1: 3   ρρα   Cell 5: Cell 9: Cell 13:	
Cell 2: Cell 6: Cell 10: Cell 14:	
Cell 3: Cell 7: Cell 11: Cell 15:	
Cell 4: Cell 8: Cell 12: Cell 16:	
E 4th St	
Aparment	
Phuffs Pmv2-008 Egg	
Pm12-008 (4)	O MP
1 1 1 20 Tt	6
8 XDE: 29	2)
	838
31pem 31pem	YI W
Row Dive	
7200	
Parkers spaces	]
Parkers	
	215
Apari nents	Azart menis
	A D

EPA Site #: PMR-	009	Date of Access:	11/1/2019	Date of Screening:	11/5/2019
Screening Results: XR			11/8/2019	Operator: 7/8	
Average XRF Pb Screen			·		·····
Cell-1: 34 pm Cel	15:	Cell 9:	Cell 13:		
Cell 2: Cel	16:	Cell 10:	Cell 14:	CONTRACTOR DESCRIPTION OF THE PROPERTY OF THE	
Cell 3: Cel	17:	Cell 11:	Cell 15:		
Cell 4: Cel	18:	Cell 12:	Cell 16:		
E 4th St					
Aparments				<b>1</b>	
					11 5ft
		Bluff8		-+ T3	
	*++	+++	7-7-	/ 6	
		PM12-00°		\ <b>3</b>	
	XRF	. 32 29			
		4 <sub>0</sub>			
		34ppm			
			2 aux	Divoc	
	\		Kee		
				Sp.ce	
				Parluns Space	×
				Side	
			5		
					draitheath
\\ \ \\					/\$
			Aparliner	<del>3</del> 5	
		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			
		/	1	;	

EPA Site #: PMR- 010 Date of Access: 11/1/20/9	Date of Screening: 11/5/ 2019
Screening Results: XRF I.D.: Date: 11/8/20/9	Operator: Tk
Average XRF Pb Screening Results (ppm)	
Cell 1: 80 Cell 5: Cell 9: Cell 13:	
Cell 2:         Cell 6:         Cell 10:         Cell 14:	
Cell 3: Cell 7: Cell 11: Cell 15:	
Cell 4: Cell 8: Cell 12: Cell 16:	
I-35 Nooded Wooded Wooded	XRF: 76 73 73 91 80ppm
	Park Trail

EPA Site #: PMR- O// Date of Access: 1//1/20/9 Date of Screening: 1//2020
Screening Results: XRF I.D.: Date: 1 Date: Operator: UM
Average XRF Pb Screening Results (ppm) 2/7/2020 LM
Cell 1: 626 Cell 5: 113 Cell 9: Cell 13:
Cell 2: 370 Cell 6: Cell 10: Cell 14:
Cell 3: 357 Cell 7: Cell 11: Cell 15:
Cell 4: 214 Cell 8: Cell 12: Cell 16:
Guinste Avenue
Chinate /
Mesoded
We Industrial Trafficwary  Ner. 495
will tratti
Million Sed
WOOD WE: 495
C-7 1819 1624 1624
1 C 341
7,4 425. 3300 370
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 100 / 2016
113 214 Pord
The Pair Posa I III III
1 Voud
1 - 30 FY

# APPENDIX D FIELD SHEETS AND CHAIN-OF-CUSTODY RECORDS

CHAIN OF CUSTODY RECORD
ENVIRONMENTAL PROTECTION AGENCY REGION VII

EPA PROJECT MANAGER	(Print)		SITE OR S	SAMPLING EVE	NT					DA	TE OF SAME	PLE COLL	ECTION(S)		SHEE	10000
Yvonne St	MIN		Price	metal (	ethning	2						DAY	YEAR	1	of	1
					OF SHIPM	ENT										
ASR AND SAMPLE	1 L PLASTIC BOTTLE	BOZJAV	PE OF CONTAINE		VOA SET				MEDIA	THER		REMARK	IVING LABOI S OTHER INF	ORMA	TION	
NUMBER	BOTTLE	NUMBER(S) OF CO	BOTTLE ONTAINERS PER S	BOTTLE SAMPLE NUMBER	(3 VIALS EA)	WATER	Solub	HAZ WASTE	AR		(		of samples u ample numb			
8386-1							X									
. 1 2		1					X		П							
3							X		$\Box$	$\forall$						
¥							X		$\Box$	1						
5		1		-		-	X		Н	+						
6						T	J		H							
7	-	+ + +				+	X		H	$\forall$				_		
8						-	X		1	1		-				_
						+	·	-	+	+			-		-	
9	-	1				+	X	$\vdash$	H	+				_	_	
10						+	X		H	+		_				
11						-	X		H	+						
12						-	X		H	$\dashv$				_		
13						-	X	-	$\vdash$	-						
14		1				-	X	L	$\square$	-						
15		1				1	X	_	Н			-				
16		1				1	X			_						
17							X		П	4						
18		1					X	L								
19							X									
20							X									
71							X									
1 22							X									
Q.e	0 00	mele te				Т	Г	Г			BH	or o	inno	he	md-	_
1	7										delsi	reces	11/191	it i	Chil	2)
	DESCRIPTI	ON OF SHIPMI	ENT							MOE	E OF SH	IPMEN	IT R90	m!	eno	4
2.2 CONTAINE	R(S) CONSI	STING OF	CRATE	(9)		10	'OM	MEE			RIER	1	V 02.	Dan	(1)	ol.
		BOX		(0)						NVEY			F	1.77	1	<del>811 4</del>
IOL GITES	1(3). OTTIEN	DUN					PAIVI			IVVEI	ED	(SHIPF	ING AIRB	ILL N	UMBER	()
			PE	RSONNEL	CUSTODY R	ECC	ORD	)								
RELINGUISHED BY (PA	WSAMPLER UNSE	4 4/9	TE TIME	RECEIVED	i foll	J. J	SEA	LED	N. N.	PART	TIME	REASO	W FOR CH	ANGE	OF CU	STODY
RELINQUISHED BY (PM		- X	TE TIME	RECEIVED	ву	0			3.4	DATE	TIME	REASO	N FOR CH	ANGE	OF CU	STODY
SEALED	UNSEA	ALED -		SEALED		UNS	SEA	LED								
RELINQUISHED BY (PM			TE TIME	RECEIVED					-	DATE	TIME	REASC	N FOR CH	ANGE	OF CU	STODY
SEALED	UNSEA	ALED _		SEALED		UNS	SEA	LED								
RELINQUISHED BY (PM			TE TIME	RECEIVED	BY				-	DATE	TIME	REASO	N FOR CH	ANGE	OF CU	STODY
SEALED	UNSEA	ALED _		SEALED		UNS	SEA	LED					Page 1	1 of 3	33	
7-EPA-9262 (REV 4/17) Other Ve			WHITE ORIGI	VAL - EPA LAB .		_							. ago i		-	

ASR Number:	8386 Sample Number	er: 1	QC Cod	de: Matr	ix: Solid Tag	<b>ID:</b> 8386-1
Project Desc:	YSPMR Price Metal Refining		Pro	ject Manager:	Yvonne Smith	
City:	Kansas CIty			State:	Missouri	
_	Superfund Multi-Site - General				Site ID: 07ZZ	Site OU: 00
Location Desc:	PMR-001 (	1-/				
		Exter	nal Samp	ole Number: _		
Expected Cond	(or Circle Or	ne: Low	Medium	High)	Date	Time(24 hr)
Latitude:		San	nple Coll	ection: Start:	11/5/M	10:45
Longitude:				End:	//	:
Laboratory A	nalyses:					
Container	Preservative	Holdi	ng Time	Analysis		
1 - 8 oz glass	4 Deg C	180	0 Days	1 Total Metals A	nalysis of TCLP Meta	als in Soil by ICP-AES
0 -	4 Deg C	1	0 Days	1 Percent Solid		
Sample Comm	ents:					
(NI (A)						

(N/A)

Max KRF: 558ppm KRF# C00722

Sample Collected By: TT

ASR Number:	8386 Sample Numbe	er: 2 (	SC Coc	le: Matri	ix: Solid Tag	<b>ID:</b> 8386-2
Project ID:			Pro	ject Manager:	Yvonne Smith	
-	Price Metal Refining Kansas CIty Superfund			State:	Missouri	
_	Multi-Site - General				Site ID: 07ZZ	Site OU: 00
Location Desc:	PMR-001 C.	-2				
		Externa	Samp	le Number: _		
Expected Conc	: (or Circle On	ne: Low M	ledium	High)	Date	Time(24 hr)
Latitude:		Samp	le Coll	ection: Start:	115/19	10:45
Longitude:				End:		;
Laboratory An	-					
Container	Preservative	Holding	Time	Analysis		
1 - 8 oz glass	4 Deg C	180	Days	1 Total Metals Ar	nalysis of TCLP Meta	ils in Soil by ICP-AES
0 -	4 Deg C	0	Days	1 Percent Solid		
Sample Commo	ents:					
(N/A)						

Max XLF: 7537 ppm =

XLF# 000722

Sample Collected By:  $\Pi$ 

ASR Number:	8386 Sample Number:	3	QC Co	de: Matr	ix: Solid	Tag I	<b>D:</b> 8386-3
Project ID:			Pro	ject Manager:	Yvonne Si	mith	
<b>Project Desc:</b>	Price Metal Refining						
City:	Kansas CIty			State:	Missouri		
Program:	Superfund						
Site Name:	Multi-Site - General				Site ID:	07ZZ	Site OU: 00
Location Desc:	PMR-001 C-3						
	E	Externa	ıl Samp	ole Number: _			
Expected Conc	(or Circle One:	Low i	Medium	High)	Date		Time(24 hr)
Latitude:		Samp	le Coll	ection: Start:	11/5/1	7	10:45
Longitude:				End:	//		
Laboratory Ar	nalyses:						
Container	Preservative	Holding	Time	Analysis			
1 - 8 oz glass	4 Deg C	180	Days	1 Total Metals A	nalysis of TCL	P Metals	in Soil by ICP-AES
0 -	4 Deg C	0	Days	1 Percent Solid			
Sample Commo	ents:						

(N/A)

Max XRF: 1295ppna XRF # C00722

Sample Collected By:  $\top\!\!\!\top$ 

ASR Number:	8386 Sample Number:	4	QC Cod	de: Matr	ix: Solid Ta	ng ID: 8386-4
Project Description	YSPMR Price Metal Refining		Pro	ject Manager:	Yvonne Smit	h
-	Kansas CIty			State:	Missouri	
Program:	,					
Site Name:	Multi-Site - General				Site ID: 07	ZZ Site OU: 00
Location Desc:	PMR-003 (	-/				
		Externa	al Samp	ole Number: _		
<b>Expected Conc</b>	(or Circle One:	Low I	Medium	High)	Date	Time(24 hr)
Latitude:		Samp	ole Coll	ection: Start:	11/5/19	12:00
Longitude:				End:	_/_/	_:_
Laboratory Ar	nalyses:					
Container	Preservative	Holding	j Time	Analysis		
1 - 8 oz glass	4 Deg C	180	Days	1 Total Metals A	nalysis of TCLP M	letals in Soil by ICP-AES
0 -	4 Deg C	0	Days	1 Percent Solid		
Sample Comm	ents:					

(N/A)

MAX XRF: 319 ppm

XRF# (00722

ASR Number:	8386 Sample Number	<b>er:</b> 5	QC Cod	de: Matr	ix: Solid	Tag I	<b>D:</b> 8386-5
Project ID:			Pro	ject Manager:	Yvonne Si	mith	
-	Price Metal Refining Kansas CIty Superfund			State:	Missouri		
_	Multi-Site - General				Site ID:	07ZZ	Site OU: 00
Location Desc:	PMR-003	C- 8					
		Externa	al Samp	ole Number: _			
<b>Expected Conc</b>	(or Circle Or	ne: Low	Medium	High)	Date		Time(24 hr)
Latitude:		Samı	ole Coll	ection: Start:	11/5/1	2	12:00
Longitude:				End:	_/_/_	-	***************************************
Laboratory An	alyses:						
Container	Preservative	Holding	j Time	Analysis			
1 - 8 oz glass	4 Deg C	180	Days	1 Total Metals A	nalysis of TCL	P Metals	in Soil by ICP-AES
0 -	4 Deg C	0	Days	1 Percent Solid			
Sample Commo	ents:						
(N1/A)							

(N/A)

Max XRF: 57 ppm

VRF# C00722

Sample Collected By:  $\sqcap$ 

ASR Number:	8386 Sample Nur	nber: 6	QC Co	de: Matı	rix: Solid Tag	ID: 8386-6
Project ID:			Pro	ject Manager	: Yvonne Smith	
_	Price Metal Refining Kansas CIty Superfund			State	: Missouri	
_	Multi-Site - General				<b>Site ID:</b> 07Z	Z <b>Site OU:</b> 00
Location Desc:	PMR-003	C-14			· · · · · · · · · · · · · · · · · · ·	
		Exter	nal Samı	ole Number:		
<b>Expected Conc</b>	(or Circle	One: Lov	v Medium	High)	Date	Time(24 hr)
Latitude:		Sa	mple Coll	ection: Start:	11/5/19	12:62
Longitude:				End:	_/_/	:
Laboratory Ar	nalyses:					
Container	Preservative	Hold	ling Time	Analysis		
1 - 8 oz glass	4 Deg C	18	30 Days	1 Total Metals A	Analysis of TCLP Met	tals in Soil by ICP-AES
0 -	4 Deg C		0 Days	1 Percent Solid		
Sample Comm	ents:					

(N/A)

Max XRF: 66 ppm XRF# COO7272

Sample Collected By:  $\top\!\!\!\top$ 

ASR Number:	Sample Number:	7 <b>Q</b>	C Code:	Matri	x: Solid	Tag ID: 8386-7
Project ID:	YSPMR		Proje	ct Manager:	Yvonne Sm	nith
City: Program:	Price Metal Refining Kansas CIty Superfund Multi-Site - General			State:	Missouri Site ID: 0	07ZZ <b>Site OU:</b> 00
Location Desc:	PMR-002C-5					
	E	External	Sample	Number: _	W	
<b>Expected Conc</b>	(or Circle One:	Low Me	edium H	igh)	Date	Time(24 hr)
Latitude:		Sample	e Collect	tion: Start:	11/5/19	<u>11: 08</u>
Longitude:				End:	_/_/_	_:_
Laboratory An	alyses:					
Container	Preservative	Holding T	lime .	Analysis		
1 - 8 oz glass	4 Deg C	180	Days 1	l Total Metals Ar	nalysis of TCLP	Metals in Soil by ICP-AES
0 -	4 Deg C	0	Days 1	l Percent Solid		
Sample Commo	ents:		<del></del>	········		
(N/A)						

MAX XRF: 440ppm 18F \$ COU722

**Sample Collected By: T**T

ASR Number:	8386 Sample Number:	8 (	2C Cod	e: Matri	ix: Solid	Tag II	<b>D:</b> 8386-8
Project Description	YSPMR Price Metal Refining		Proj	ect Manager:	Yvonne Sr	mith	
City:	Kansas CIty			State:	Missouri		
Program: Site Name:	Superfund Multi-Site - General .	•			Site ID:	07ZZ	Site OU: 00
Location Desc:	PMR-002-LM	C-	8				
,	002	xternal	Samp	le Number: _			
<b>Expected Conc</b>	(or Circle One:	Low M	edium	High)	Date		Time(24 hr)
Latitude:		Sampl	e Colle	ection: Start:	11/5/4	1	11:00
Longitude:				End:	//	-	:
Laboratory An	alyses:	<i></i>					
Container	Preservative	Holding '	l'ime	Analysis			
1 - 8 oz glass	4 Deg C	180	Days	1 Total Metals Ar	nalysis of TCL	P Metals	in Soil by ICP-AES
0 -	4 Deg C	0	Days	1 Percent Solid			
Sample Commo	ents:						
/NI/A)							

(N/A)

Max XLF: 600 ppm XRF# C00722

Sample Collected By: TT

ASR Number:	8386 Sample Number:	9	QC Coc	le: Matri	ix: Solid	Tag I	<b>D:</b> 8386-9
Project ID:	YSPMR Price Metal Refining		Pro	ject Manager:	Yvonne S	mith	
City:	Kansas CIty Superfund			State:	Missouri		
_	Multi-Site - General				Site ID:	07ZZ	Site OU: 00
Location Desc:	PMR-002	C-	11				
	E	xterna	l Samp	le Number: _			
Expected Conc	(or Circle One:	Low N	Medium	High)	Date		Time(24 hr)
Latitude:		Samp	le Coll	ection: Start:	11/5/1	1	<u>[]</u> :08
Longitude:				End:	//_	_	:
Laboratory A	-						
Container	Preservative	Holding	Time	Analysis			
1 - 8 oz glass	4 Deg C	180	Days	1 Total Metals Ar	nalysis of TCI	LP Metals	s in Soil by ICP-AES
0 -	4 Deg C	0	Days	1 Percent Solid			
Sample Comm	ents:						
(N/A)							

Max XRF: 288ppm XRF# C00722

Sample Collected By:  $\top\!\!\!\top$ 

ASR Number:	8386 Sample Numb	<b>er:</b> 10	QC Cod	de: Matr	ix: Solid Tag	<b>ID:</b> 8386-10
Project Desc:	YSPMR Price Metal Refining		Pro	ject Manager:	Yvonne Smith	
_	Kansas CIty			State:	Missouri	
•	Multi-Site - General				Site ID: 07Z	Z <b>Site OU:</b> 00
Location Desc:	PMR-002	c-4				
		Extern	al Samp	ole Number: _		
<b>Expected Conc</b>	(or Circle Or	ne: Low	Medium	High)	Date	Time(24 hr)
Latitude:		Sam	ple Coll	ection: Start:	11/5/19	11:00
Longitude:				End:	_/_/_	
Laboratory An	nalyses:					
Container	Preservative	Holdir	ng Time	Analysis		
1 - 8 oz glass	4 Deg C	180	Days	1 Total Metals A	nalysis of TCLP Me	tals in Soil by ICP-AES
0 -	4 Deg C	0	Days	1 Percent Solid		
Sample Commo	ents:					

(N/A)

MAX XRF: 507 ppm XRF# (00722

Sample Collected By: TT

ASR Number:	8386	Sample Number:	11	QC Cod	le: Matr	ix: Solid	Tag I	<b>ID:</b> 8386-11
Project ID: Project Desc:				Pro	ject Manager:	Yvonne S	mith	
-	Kansa	s CIty			State:	Missouri		
_	•	Site - General				Site ID:	07ZZ	Site OU: 00
Location Desc:	Pm	12-082	Ć-	12				
		E	externa	al Samp	le Number: _			
<b>Expected Cond</b>	<b>:</b> :	(or Circle One:	Low	Medium	High)	Date		Time(24 hr)
Latitude:	:		Sam	pie Coll	ection: Start:	[L/ <b>5</b> /]	7	11:00
Longitude	:				End:	//_	_	:-
Laboratory A	nalyses	:						
Container	P	reservative	Holdin	g Time	Analysis			
1 - 8 oz glass	4	Deg C	180	Days	1 Total Metals A	nalysis of TC	LP Metal	s in Soil by ICP-AES
0 -	4	Deg C	0	Days	1 Percent Solid			
Sample Comm	ents:							
(N/A)								

Mar XRF: 357 ppni XLF# C00722

Sample Collected By:  $\sqcap$ 

ASR Number:	8386	Sample Number:	12	QC Cod	de: Matr	ix: Solid Ta	ag ID: 8386-12
Project ID:	YSPMF	₹		Pro	ject Manager:	Yvonne Smit	:h
Program:	Kansa Super	s CIty			State:	Missouri Site ID: 07	ZZ <b>Site OU:</b> 00
Location Desc:	PM	12-002	0-	7			
		1	Exter	nal Samp	ole Number:		
Expected Conc	::	(or Circle One:	Low	Medium	High)	Date	Time(24 hr)
Latitude:			San	nple Coll	ection: Start:	11/5/19	11:00
Longitude:	·				End:	//	_:_
Laboratory A	nalyses	<b>5:</b>					
Container	F	Preservative	Holdi	ng Time	Analysis		
1 - 8 oz glass	4	l Deg C	180	) Days	1 Total Metals A	nalysis of TCLP N	Metals in Soil by ICP-AES
0 -	4	Deg C	(	Days	1 Percent Solid		
Sample Comm	ents:						
(N/A)							

PAR-502 Max XRF: 415ppm XRF# C00722

ASR Number:	8386 Sample Number:	13	QC Co	de:	Matr	ix: Solid T	ag I	<b>D:</b> 8386-13
Project ID:			Pro	ject Mana	ager:	Yvonne Sm	th	
City:	Price Metal Refining Kansas CIty			s	tate:	Missouri		
Program: Site Name:	Multi-Site - General					Site ID: 07	7ZZ	Site OU: 00
Location Desc:	PMR-006	4						
	E	Extern	al Samı	ole Numb	er:			
Expected Conc	(or Circle One:	Low	Medium	High)		Date		Time(24 hr)
Latitude:		Sam	ple Coll	ection: Si	tart:	11/5/19		15:45
Longitude:				1	End:	_/_/_		_:
Laboratory An	alyses:							
Container	Preservative	Holdin	ng Time	Analysis	3			
1 - 8 oz glass	4 Deg C	180	Days	1 Total Me	etals Ar	nalysis of TCLP	Metals	in Soil by ICP-AES
0 -	4 Deg C	0	Days	1 Percent	Solid			
Sample Comme	ents:							

(N/A)

Max VRF: 36ppm XRF# COD722

Sample Collected By: TT

ASR Number:	8386 <b>S</b> a	ample Number:	14	QC Co	de: Matr	ix: Solid	Tag I	<b>D:</b> 8386-14
Project ID:		-1 D - C -:		Pro	ject Manager:	Yvonne S	mith	
Project Desc: City: Program:	Kansas C	Ity			State:	Missouri		
Site Name:						Site ID:	07ZZ	Site OU: 00
Location Desc:	PMT	PMR-000	?					
		E	xtern	al Samp	ole Number: _			4.00
Expected Conc	:	(or Circle One:	Low	Medium	High)	Date		Time(24 hr)
Latitude:			Sam	ple Coll	ection: Start:	11/5/1	1	15:56
Longitude:					End:	_/_/_	_	_:_
Laboratory Ar	nalyses:							
Container	Pres	ervative	Holdin	ng Time	Analysis			
1 - 8 oz glass	4 De	g C	180	Days	1 Total Metals A	nalysis of TCl	P Metals	s in Soil by ICP-AES
0 -	4 De	g C	0	Days	1 Percent Solid			

#### Sample Comments:

(N/A)

May XFF: 40 ppm XRF# C00722

Sample Collected By: □□

ASR Number: 8	Sample Number:	15	QC Co	de: Matr	ix: Solid	Tag I	<b>D:</b> 8386-15
Project ID:	YSPMR Price Metal Refining						
_	Kansas CIty	State: Missouri					
_	Multi-Site - General				Site ID:	07ZZ	Site OU: 00
Location Desc:	PM2-004						
	E	xterna	al Samı	ole Number: _			
Expected Conc	(or Circle One:	Low	Medium	High)	Date		Time(24 hr)
		Sam	ole Coll	ection: Start:	11/5/1	7	15:39
Longitude:				End:	_/_/	-	:
Laboratory An	-						
Container	Preservative	Holding	g Time	Analysis			
1 - 8 oz glass	4 Deg C	180	Days	1 Total Metals A	nalysis of TCL	P Metals	s in Soil by ICP-AES
0 -	4 Deg C	0	Days	1 Percent Solid			
Sample Comme	ents:						

(N/A)

Max XRF: 63 ppm VRF# C00722

ASR Number:	8386 Sample Number:	16	QC Cod	le: Matr	ix: Solid	Tag I	<b>D:</b> 8386-16
Project ID:	YSPMR		Pro	ject Manager:	Yvonne S	mith	
Project Desc:	Price Metal Refining						
City:	Kansas CIty			State:	Missouri		
Program:	Superfund						
Site Name:	Multi-Site - General				Site ID:	07ZZ	Site OU: 00
Location Desc:	LOSIR-043						
	E	exterr	nal Samp	le Number:			
Expected Cond	(or Circle One:	Low	Medium	High)	Date		Time(24 hr)
Latitude:		Sam	ple Coll	ection: Start:	11/5/1	9	14:10
Longitude:				End:	//_	_	_:_
Laboratory Ar	nalyses:		1.				
Container	Preservative	Holdi	ng Time	Analysis			
1 - 8 oz glass	4 Deg C	180	Days	1 Total Metals A	nalysis of TCI	_P Metals	in Soil by ICP-AES
) -	4 Deg C	C	) Days	1 Percent Solid			

### Sample Comments:

(N/A)

MAXKRF: 38 ppm

Sample Collected By: □

ASR Number:	8386 Sample Number:	17	QC Cod	le: Matri	ix: Solid	Tag I	<b>D:</b> 8386-17	
Project ID:		Project Manager: Yvonne Smith						
City:	Price Metal Refining Kansas CIty Superfund	State: Missouri						
	Multi-Site - General				Site ID:	07ZZ	Site OU: 00	
Location Desc:	KCSR-044							
	E	xtern	al Samp	le Number: _				
Expected Cond	(or Circle One:	Low	Medium	High)	Date		Time(24 hr)	
Latitude:		Sam	ple Coll	ection: Start:	11/5/1	1	14:19	
Longitude:				End:	//	-	_:_	
Laboratory A	nalyses:			****		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
Container	Preservative	Holdin	g Time	Analysis				
1 - 8 oz glass	4 Deg C	180	Days	1 Total Metals A	nalysis of TCL	P Metals	s in Soil by ICP-AES	
0 -	4 Deg C	0	Days	1 Percent Solid				

#### Sample Comments:

(N/A)

Max XRF: 44ppm XRF# (00722

Sample Collected By:  $\Pi$ 

ASR Number:	8386 <b>S</b>	ample Number:	18	QC Coc	le: Matr	ix: Solid	Tag I	<b>D:</b> 8386-18	
Project ID:		tal Dagaina	Project Manager: Yvonne Smith						
-	Kansas (	CIty	State: Missouri						
Program: Site Name:						Site ID:	07ZZ	Site OU: 00	
Location Desc:	KSK	-645							
		E	xterna	l Samp	le Number: _	-			
Expected Cond	:	(or Circle One:	Low N	1edium	High)	Date		Time(24 hr)	
Latitude:	·		Samp	le Colle	ection: Start:	11/5/1	1	14:31	
Longitude:					End:	_/_/_	-	_:_	
Laboratory A	nalyses:								
Container	Pre	servative	Holding	Time	Analysis				
1 - 8 oz glass	4 D	eg C	180	Days	1 Total Metals A	nalysis of TCl	P Metals	s in Soil by ICP-AES	
0 -	4 D	eg C	0	Days	1 Percent Solid				
Sample Comm	ents:								

(N/A)

Max XRF: 97ppm XRF# (07722

ASR Number:	8386 Sample Number:	19	QC Cod	de: Matri	ix: Solid Tag	<b>ID:</b> 8386-19
Project ID:			Pro	ject Manager:	Yvonne Smith	
City: Program:	Price Metal Refining Kansas CIty Superfund Multi-Site - General			State:	Missouri Site ID: 07ZZ	Z Site OU: 00
Location Desc:	LCSP-046				***	
		xtern	al Samp	ole Number: _		
Expected Conc	(or Circle One:	Low	Medium	High)	Date	Time(24 hr)
Latitude:		Sam	ple Coll	ection: Start:	11/5/19	<u> 14:48</u>
Longitude:				End:	_/_/_	_:_
Laboratory Ar	nalyses:			······································		
Container	Preservative	Holdin	g Time	Analysis		
1 - 8 oz glass	4 Deg C	180	Days	1 Total Metals Ar	nalysis of TCLP Meta	als in Soil by ICP-AES
0 -	4 Deg C	0	Days	1 Percent Solid	•	
Sample Comm	ents:					
(N/A)						

Max XXF; 83ppm XXF# COUTEZ

ASR Number:	8386 Sample Number:	20	SC Co	de: Ma	trix: Solid	Tag I	<b>D:</b> 8386-20	
Project Desc:	YSPMR Price Metal Refining		Project Manager: Yvonne Smith					
City:	Kansas CIty	State: Missouri						
_	Superfund Multi-Site - General				Site ID:	07ZZ	Site OU: 00	
Location Desc:	PMK-002			1-1				
	1	External	Samı	ole Number:				
Expected Conc	(or Circle One:	Low M	edium	High)	Date		Time(24 hr)	
Latitude:		Sampl	e Coll	ection: Start	: 11/5/19	7	11:00	
Longitude:				End	://_		:	
Laboratory Ar	nalyses:							
Container	Preservative	Holding '	Time	Analysis				
1 - 8 oz glass	4 Deg C	180	Days	1 Total Metals	Analysis of TCL	P Metals	s in Soil by ICP-AES	
0 -	4 Deg C	0	Days	1 Percent Solid	d			
Sample Comm	ents:							

(N/A)

Max XRF:

XRF: C00722

Sample Collected By:  $\top\!\!\!\top$ 

ASR Number:	8386 Sample Number:	21	QC Cod	e: Matri	ix: Solid	Tag I	<b>D:</b> 8386-21		
Project ID:	YSPMR	Project Manager: Yvonne Smith							
<b>Project Desc:</b>	Price Metal Refining								
City:	Kansas CIty			State:	Missouri				
Program:	Superfund								
Site Name:	Multi-Site - General				Site ID:	07ZZ	Site OU: 00		
Location Desc	PMR-002		C-14	ł					
	E	xterna	l Samp	le Number: _					
Expected Cond	(or Circle One:	Low N	1edium	High)	Date		Time(24 hr)		
Latitude	·	Samp	le Colle	ection: Start:	11/5/1	9	11:00		
Longitude	:			End:	//_	_	:-		
Laboratory A	nalyses:								
Container	Preservative	Holding	Time						
1 - 8 oz glass	4 Deg C	180	Days		nalysis of TCI	_P Metals	s in Soil by ICP-AES		
0 -	4 Deg C	0	Days	1 Percent Solid					
Sample Comm	onte								

#### Sample Comments:

(N/A)


MAX MRF: 308ppm XLF# C00722

**Sample Collected By: □** 

ASR Number:	8386 Sample Number:	22	QC Cod	de: Matr	ix: Solid Ta	ig ID: 8386-22		
Project ID:	YSPMR Price Metal Refining	Project Manager: Yvonne Smith						
City:	Kansas CIty Superfund			State:	: Missouri			
	Multi-Site - General				<b>Site ID:</b> 077	ZZ Site OU: 00		
Location Desc:	PMR - 003	C	-2					
	E	Externa	l Samp	ole Number:				
Expected Conc	(or Circle One:	Low N	1edium	High)	Date	Time(24 hr)		
Latitude:		Samp	le Coll	ection: Start:	11/5/19	12:00		
Longitude:				End:		_:		
Laboratory Ar	nalyses:							
Container	Preservative	Holding	Time	Analysis				
1 - 8 oz glass	4 Deg C	180	Days	1 Total Metals A	nalysis of TCLP M	letals in Soil by ICP-AES		
0 -	4 Deg C	0	Days	1 Percent Solid	_			
Sample Comm	ents:							
(N/A)								

Max XRF: 151 ppm XRF# C00722

Sample Collected By: TT



# APPENDIX E ANALYTICAL DATA

# United States Environmental Protection Agency Region 7 300 Minnesota Avenue Kansas City, KS 66101

**Date:** 11/26/2019

**Subject:** Transmittal of Sample Analysis Results for ASR #: 8386

Project ID: YSPMR

Project Description: Price Metal Refining

From: Margaret E.W. St. Germain, Chief

Laboratory Technology & Analysis Branch

Laboratory Services and Applied Sciences Division

**To:** Yvonne Smith SEMD/AERR/RREP

Enclosed are the analytical data for the above-referenced Analytical Services Request (ASR) and Project. These results are based on samples as received at the Science and Technology Center. The Regional Laboratory has reviewed and verified the results in accordance with procedures described in our Quality Manual (QM). In addition to all of the analytical results, this transmittal contains pertinent information that may have influenced the reported results and documents any deviations from the established requirements of the QM.

Please ensure that you file this electronic (.pdf only) transmittal in your records management system. The Regional Laboratory will now retain all of the original hardcopy documentation (e.g. COC[s] and the R7LIMS field sheet[s], etc.) according to our LSASD records management system.

Please contact us within 14 days of receipt of this package if you determine there is a need for any changes. Please complete the Online ASR Sample/Data Disposition and Customer Survey for this ASR as soon as possible. The process of disposing of the samples for this ASR will be initiated 30 days from the date of this transmittal unless an alternate release date is specified on the Online ASR Sample/Data Disposition and Customer Survey. It is critical that we receive your response in accordance to RCRA and the laboratory accreditation.

If you have any questions or concerns relating to this data package, contact our customer service line at 913-551-5295.

## **Summary of Project Information**

**REP** 

11/26/2019

**Project Manager:** Yvonne Smith **Org:** SEMD/AERR/R **Phone:** 913-551-7795

Project ID: YSPMR

Project Desc: Price Metal Refining

ASR Number: 8386

**Location:** Kansas CIty **State:** Missouri **Program:** Superfund

Site Name: Multi-Site - General Site ID: 07ZZ Site OU: 00

**Purpose:** Site Characterization **GPRA PRC:** 000DC6

CERCLIS ID: MON000706445.

Integrated Site Assessment sampling. Residential lead sampling. Soil sampling and

documentation to support a Removal Assessment.

Per submitted ASR dated 9/19/2019 this ASR is not part of a litigation hold at this

time.

GPRA/site code (+OU) check OK per JN on 9/20/19.

#### **Explanation of Codes, Units and Qualifiers used on this report**

**Sample QC Codes:** QC Codes identify the type of sample for quality control purpose. **Units:** Specific units in which results are reported.

= Field Sample mg/kg = Milligrams per Kilogram

% = Percent

**Data Qualifiers:** Specific codes used in conjunction with data values to provide additional information on the quality of reported results, or used to explain the absence of a specific value.

(Blank)= Values have been reviewed and found acceptable for use.

UJ = The analyte was not detected at or above the reporting limit. The reporting limit is an estimate.

J = The identification of the analyte is acceptable; the reported value is an estimate

U = The analyte was not detected at or above the reporting limit.

# **Sample Information Summary**

11/26/2019

Project ID: YSPMR

**Project Desc:** Price Metal Refining

Sample No	Matrix	Location Description	External Sample No	Start Date	Start Time	End Date	End Time	Receipt Date
1 -	 Solid	PMR-001, C-1		11/05/2019	10:45			11/08/2019
2 -	 Solid	PMR-001, C-2		11/05/2019	10:45			11/08/2019
3 -	 Solid	PMR-001, C-3		11/05/2019	10:45			11/08/2019
4 -	 Solid	PMR-003, C-1		11/05/2019	12:00			11/08/2019
5 -	 Solid	PMR-003, C-8		11/05/2019	12:00			11/08/2019
6 -	 Solid	PMR-003, C-14		11/05/2019	12:00			11/08/2019
7 -	 Solid	PMR-002, C-5		11/05/2019	11:00			11/08/2019
8 -	 Solid	PMR-002, C-8		11/05/2019	11:00			11/08/2019
9 -	 Solid	PMR-002, C-11		11/05/2019	11:08			11/08/2019
10 -	 Solid	PMR-002, C-4		11/05/2019	11:00			11/08/2019
11 -	 Solid	PMR-002, C-12		11/05/2019	11:00			11/08/2019
12 -	 Solid	PMR-002, C-7		11/05/2019	11:00			11/08/2019
13 -	 Solid	PMR-006		11/05/2019	15:45			11/08/2019
14 -	 Solid	PMR-009		11/05/2019	15:56			11/08/2019
15 -	 Solid	PMR-004		11/05/2019	15:39			11/08/2019
16 -	 Solid	KCSR-043		11/05/2019	14:10			11/08/2019
17 -	 Solid	KCSR-044		11/05/2019	14:19			11/08/2019
18 -	 Solid	KCSR-045		11/05/2019	14:31			11/08/2019
19 -	 Solid	KCSR-046		11/05/2019	14:48			11/08/2019
20 -	 Solid	PMR-002, C-1		11/05/2019	11:00			11/08/2019
21 -	 Solid	PMR-002, C-14		11/05/2019	11:00			11/08/2019
22 -	 Solid	PMR-003, C-2		11/05/2019	12:00			11/08/2019

**ASR Number:** 8386

## **RLAB Approved Analysis Comments**

11/26/2019

Project ID: YSPMR

**Project Desc** Price Metal Refining

## **Analysis** Comments About Results For This Analysis

1 Percent Solid

**Lab:** Region 7 ESAT Contract Lab (In-House) **Method:** EPA Region 7 RLAB Method 3142.9H

Basis: N/A

 Samples:
 1-\_\_\_
 2-\_\_\_
 3-\_\_\_
 4-\_\_\_
 5-\_\_\_
 6-\_\_\_
 7-\_\_

 8-\_\_
 9-\_\_
 10-\_\_
 11-\_\_
 12-\_\_
 13-\_\_
 14-\_\_

 15-\_\_
 16-\_\_
 17-\_\_
 18-\_\_
 19-\_\_
 20-\_\_
 21-\_\_

 22 

**Comments:** 

1 Total Metals Analysis of TCLP Metals in Soil by ICP-AES

**Lab:** Region 7 ESAT Contract Lab (In-House) **Method:** EPA Region 7 RLAB Method 3122.3G

Basis: Dry

 Samples:
 1-\_\_\_
 2-\_\_\_
 3-\_\_\_
 4-\_\_\_
 5-\_\_\_
 6-\_\_\_
 7-\_\_\_

 8-\_\_\_
 9-\_\_\_
 10-\_\_\_
 11-\_\_\_
 12-\_\_\_
 13-\_\_\_
 14-\_\_\_

 15-\_\_\_
 16-\_\_\_
 17-\_\_\_
 18-\_\_\_
 19-\_\_\_
 20-\_\_\_
 21-\_\_\_

 22-\_\_\_

#### **Comments:**

Barium (70, 75-114) and cadmium (72, 72, 75-105) were J-coded in sample 3. Although the analytes in question have been positively identified in the sample, the quantitations are estimates (J-coded) due to low recovery of these analytes in the laboratory matrix spike. The actual concentrations for these analytes may be higher than the reported values.

Silver (83, 6.3) was UJ-coded in sample 3. This analyte was not found in the sample at or above the reporting limit, however, the reporting limit is an estimate (UJ-coded) due to poor precision obtained for this analyte in the laboratory matrix spike and matrix spike duplicate. The actual reporting limit for this analyte may be higher than the reported value.

Analysis/ Analyte	Units	1	2	3	4
1 Percent Solid Solids, percent	%	97.1	93.7	97.4	97.9
1 Total Metals Analysis of TCLP Metals in Soil I	by ICP-AES				
Arsenic	mg/kg	8.1	27.5	15.3	10.8
Barium	mg/kg	108	410	142 J	159
Cadmium	mg/kg	2.7	15.0	4.2 J	2.8
Chromium	mg/kg	12.0	28.5	19.7	12.6
Lead	mg/kg	398	9420	1330	272
Selenium	mg/kg	10.2 U	11.6	10.2 U	10.2 U
Silver	mg/kg	2.0 U	2.1 U	2.0 UJ	2.0 U

Analysis/ Analyte	Units	5	6	7	8
1 Percent Solid Solids, percent	%	96.9	95.9	96.3	96.3
1 Total Metals Analysis of TCLP Metals in	n Soil by ICP-AES				
Arsenic	mg/kg	5.1 U	5.2 U	9.8	13.9
Barium	mg/kg	110	78.8	248	280
Cadmium	mg/kg	1.1	1.4	3.5	3.8
Chromium	mg/kg	6.5	5.6	14.7	16.0
Lead	mg/kg	44.2	52.8	326	452
Selenium	mg/kg	10.3 U	10.4 U	10.3 U	9.9 U
Silver	mg/kg	2.1 U	2.1 U	2.1 U	2.0 U

Analysis/ Analyte	Units	9	10	11	12
1 Percent Solid Solids, percent	%	96.2	94.7	96.5	93.7
1 Total Metals Analysis of TCLP Metals in	Soil by ICP-AES				
Arsenic	, mg/kg	13.2	22.0	5.9	11.2
Barium	mg/kg	158	416	187	213
Cadmium	mg/kg	2.6	4.9	2.8	3.4
Chromium	mg/kg	13.7	18.1	10.9	15.6
Lead	mg/kg	236	575	239	340
Selenium	mg/kg	10.4 U	10.3 U	10.2 U	10.6 U
Silver	mg/kg	2.1 U	2.1 U	2.0 U	2.1 U

Analysis/ Analyte	Units	13	14	15	16
1 Percent Solid Solids, percent	%	95.4	95.9	92.4	96.6
1 Total Metals Analysis of TCLP Metals in Soil	by ICP-AES				
Arsenic	mg/kg	5.2 U	5.4	5.8	8.6
Barium	mg/kg	128	154	174	145
Cadmium	mg/kg	1.3	1.3	1.8	1.7
Chromium	mg/kg	11.6	13.8	12.1	13.0
Lead	mg/kg	31.2	33.6	52.2	35.8
Selenium	mg/kg	10.4 U	10.4 U	10.0 U	10.2 U
Silver	mg/kg	2.1 U	2.1 U	2.0 U	2.0 U

Analysis/ Analyte	Units	17	18	19	20
1 Percent Solid Solids, percent	%	96.7	94.9	94.9	95.7
1 Total Metals Analysis of TCLP Metals in So					
Arsenic	mg/kg	5.2	7.5	6.9	16.6
Barium	mg/kg	117	147	147	284
Cadmium	mg/kg	1.6	2.2	1.8	7.1
Chromium	mg/kg	10.4	14.1	17.7	21.5
Lead	mg/kg	34.1	69.2	39.2	265
Selenium	mg/kg	9.8 U	10.1 U	10.3 U	9.7 U
Silver	mg/kg	2.0 U	2.0 U	2.1 U	1.9 U

Analysis/ Analyte	Units	21	22
1 Percent Solid Solids, percent	%	93.9	98.1
1 Total Metals Analysis of TCLP Metals in S	Soil by ICP-AES		
Arsenic	mg/kg	12.9	16.5
Barium	mg/kg	190	130
Cadmium	mg/kg	3.2	2.4
Chromium	mg/kg	20.1	10.1
Lead	mg/kg	297	115
Selenium	mg/kg	10.4 U	10.0 U
Silver	mg/kg	2.1 U	2.0 U

# United States Environmental Protection Agency Region 7 300 Minnesota Avenue Kansas City, KS 66101

**Date:** 03/06/2020

**Subject:** Transmittal of Sample Analysis Results for ASR #: 8486

Project ID: YSPMR

Project Description: Price Metal Refining

From: Margaret E.W. St. Germain, Chief

Laboratory Technology & Analysis Branch

Laboratory Services and Applied Sciences Division

**To:** Yvonne Smith SEMD/AERR/RREP

Enclosed are the analytical data for the above-referenced Analytical Services Request (ASR) and Project. These results are based on samples as received at the Science and Technology Center. The Regional Laboratory has reviewed and verified the results in accordance with procedures described in our Quality Manual (QM). In addition to all of the analytical results, this transmittal contains pertinent information that may have influenced the reported results and documents any deviations from the established requirements of the QM.

Please ensure that you file this electronic (.pdf only) transmittal in your records management system. The Regional Laboratory will now retain all of the original hardcopy documentation (e.g. COC[s] and the R7LIMS field sheet[s], etc.) according to our LSASD records management system.

Please contact us within 14 days of receipt of this package if you determine there is a need for any changes. Please complete the Online ASR Sample/Data Disposition and Customer Survey for this ASR as soon as possible. The process of disposing of the samples for this ASR will be initiated 30 days from the date of this transmittal unless an alternate release date is specified on the Online ASR Sample/Data Disposition and Customer Survey. It is critical that we receive your response in accordance to RCRA and the laboratory accreditation.

If you have any questions or concerns relating to this data package, contact our customer service line at 913-551-5295.

### **Summary of Project Information**

03/06/2020

**Project Manager:** Yvonne Smith **Org:** SEMD/AERR/R **Phone:** 913-551-7795

Project ID: YSPMR

Project Desc: Price Metal Refining

**ASR Number:** 8486

Location: Kansas CIty State: Missouri Program: Superfund

Site Name: Multi-Site - General Site ID: 07ZZ Site OU: 00

Purpose: Site Characterization GPRA PRC: 000DC6

CERCLIS ID: MON000706445.

Integrated Site Assessment sampling. Residential lead sampling. Soil sampling and

**REP** 

documentation to support a Removal Assessment.

Per submitted ASR dated 1/8/2020 this ASR is not part of a litigation hold at this

time.

GPRA/site code (+OU) check OK per JN on 1/8/2020.

### **Explanation of Codes, Units and Qualifiers used on this report**

Sample QC Codes: QC Codes identify the type of Units: Specific units in which results are

sample for quality control purpose. reported.

\_\_ = Field Sample mg/kg = Milligrams per Kilogram

% = Percent

**Data Qualifiers:** Specific codes used in conjunction with data values to provide additional information on the quality of reported results, or used to explain the absence of a specific value.

(Blank)= Values have been reviewed and found acceptable for use.

U = The analyte was not detected at or above the reporting limit.

**ASR Number:** 8486

Project ID: YSPMR

# **Sample Information Summary**

Project Desc: Price Metal Refining

Sample No	QC Code	Matrix	Location Description	External Sample No	Start Date	Start Time	End Date	End Time	Receipt Date
1 -		Solid	PMR-011 C-1		02/06/2020	11:00	02/06/2020		02/10/2020
2 -		Solid	PMR-011 C-2		02/06/2020	11:10	02/06/2020		02/10/2020
3 -		Solid	PMR-011 C-3		02/06/2020	11:20	02/06/2020		02/10/2020
4 -		Solid	PMR-011 C-4		02/06/2020	11:30	02/06/2020		02/10/2020
5 -		Solid	PMR-011 C-5		02/06/2020	11:40	02/06/2020		02/10/2020

03/06/2020

ASR Number: 8486 RLAB Approved Analysis Comments

Project ID: YSPMR Project Desc Price Metal Refining

## **Analysis Comments About Results For This Analysis**

1 Percent Solid

**Lab:** Region 7 EPA Laboratory - Kansas City, Ks. **Method:** EPA Region 7 RLAB Method 3142.9H

Basis: N/A

**Samples:** 1-\_\_ 2-\_\_ 3-\_\_ 4-\_\_ 5-\_\_

**Comments:** 

(N/A)

1 Total Metals Analysis of TCLP Metals in Soil by ICP-AES

**Lab:** Region 7 EPA Laboratory - Kansas City, Ks. **Method:** EPA Region 7 RLAB Method 3122.3H

Basis: Dry

**Samples:** 1-\_\_ 2-\_\_ 3-\_\_ 4-\_\_ 5-\_\_

**Comments:** 

03/06/2020

Analysis/ Analyte	Units	1	2	3	4
1 Percent Solid Solids, percent	%	87.2	84.8	88.1	83.4
1 Total Metals Analysis of TCLP Metals in	Soil by ICP-AES				
Arsenic	mg/kg	26.0	20.7	38.5	54.1
Barium	mg/kg	204	222	193	184
Cadmium	mg/kg	7.56	7.33	9.81	9.87
Chromium	mg/kg	17.4	20.2	17.8	18.9
Lead	mg/kg	618	461	353	239
Selenium	mg/kg	11.1	9.52	7.95	9.57
Silver	mg/kg	1.13 U	1.07 U	1.07 U	1.06 U

Analysis/ Analyte	Units	5
1 Percent Solid Solids, percent	%	90.0
1 Total Metals Analysis of TCLP Metals in Soil b	y ICP-AES	
Arsenic	mg/kg	29.5
Barium	mg/kg	167
Cadmium	mg/kg	3.05
Chromium	mg/kg	18.2
Lead	mg/kg	128
Selenium	mg/kg	8.75
Silver	mg/kg	1.16 U